Physics of Metals and Metallography, Volume 54, 1982

# SUBJECT INDEX

***Bold figures indicate the issue***

**Absorption** spectra of rare earth metals. A comparison of the $N_{4,5}$ characteristic loss and – **4,** 168
– , the amplitude-dependent, of ultrasound and the interaction of a dislocation with point defects **2,** 16
**Acoustic** emission during superplastic deformation of alloys Zn–0·4% Al and Sn–38% Pb. Disappearance of – **3,** 149
**Adsorption** thermodynamics on grain boundaries in systems with limited solubility **5,** 138
**Aftereffect,** reverse mechanical, a dislocation model of the – **6,** 147
**Ageing** of alloys. Influence of elastic stresses on step – . Determination of the critical radius of coherent particles **1,** 34
– of deformed austenitic steel 13Kh18N10G3S2M2. Precipitation of excess phases during – **3,** 187
– , step, of alloys. Influence of elastic stresses on – . Stability of precipitate system in stage of high-temperature ageing **1,** 28
**Alkali metals,** pseudopotential calculation of thermal expansion in – **3,** 179
**Alloy** Al–4% Cu, experimental determination of stacking fault energy in – **2,** 156
– , Al–Mg–Sc, determination of elastic strain of the matrix due to particles of phase $ScAl_3$ in an – **1,** 189
– Al–4 wt.% Cu, development of porosity and failure during superplastic flow of – **6,** 130
– , cobalt–platinum, nuclear gamma resonance investigation of ordering in equiatomic – **4,** 108
– $Co_{71}Fe_5Si_{15}B_9$, hydrogen absorption in amorphous – **3,** 169
– Cu–$Al_2O_3$–Cr, regularities of structural transformations during decomposition of a diffusion-saturated – **5,** 107
– , dilute ferromagnetic, influence of isostructural nuclei of a new phase on the Curie point of a – **5,** 72
– $Fe_3Al$ during phase transformations. Structure changes in irradiated – **5,** 163
– Fe–3% Si, influence of grain boundary migration on the parameters of an inhibitor phase in – **3,** 85
– Fe–3% Si, influence of grain size of primary recrystallization on development of secondary recrystallization and texture formation in – **2,** 74
– KhN77TYuR, dynamic recrystallization during high-temperature tensile deformation of single crystals of – **1,** 135
– Kh5N20, influence of thermal stabilization of austenite and a pulsating magnetic

field on the martensitic transformation in – 4, 125
– 10N28 subjected to HTMT. Dilatation effects during tempering of – 6, 74
– $Ni_4Mo$, asymmetric contrast and the structure of antiphase boundaries in – 4, 99
– NiPt, influence of atomic ordering on the mechanical properties and character of failure in – 6, 121
– , NiPt, ordering kinetics and structural changes during annealing of a deformed – 4, 96
– of the type G20. Investigation of features of heat deformation of two-phase ($\gamma+\varepsilon$) of – 4, 160
– VT22, high-duty titanium. Influence of the initial structure on the character of decomposition of the $\beta$ solid solution in the – 4, 119
– VT22, high titanium, dislocation structure after hot deformation of – 2, 118
– VT23, titanium, decomposition of undercooled $\beta$ phase in – 5, 152
– VT3-1, titanium, influence of heat treatment programmes on the fine structure and mechanical properties of – 4, 130
– VT30, titanium, investigation of second phase precipitation processes in – 3, 157
**Alloyed** steels, the role of carbide-forming elements in embrittlement and elimination of embrittlement during secondary hardening of – 6, 103
**Alloying** of α-Fe on dissociation of dislocations. Influence of – 2, 154
**Alloys,** aluminium–magnesium, with high magnesium content after different deformation and heat treatment programmes. Investigation of the structure and properties of – 3, 113
– , amorphous, based on compounds of *4f–3d* metals. Magnetization of – 4, 88
– , amorphous metallic, on the formation of magnetic anisotropy and a domain structure in – 5, 100
– , a new method of determining the surface tension of – 4, 114
– , copper–aluminium–zinc, the influence of heat treatment on the martensitic transformation and properties of – 3, 166
– , copper–iron, "Kondo" and "spin glass" states in – 4, 53
– , Cr–Fe, relaxation Mössbauer spectra of $^{57}Fe$ nuclei and phase transitions in dilute – 6, 66
– , CsCl-type, electronic structure of – : quasiband cluster calculations 3, 24
– , decomposed, equilibrium concentration of vacancies in phases of – 6, 135
– Fe–Co with additions of vanadium and chromium. Magnetic properties and fine crystal structure of – 5, 84
– , Fe–Cr–Co, containing 10% Co. Structural features of – 6, 175
– , Fe–Cu, after low-temperature electron irradiation. Decomposition of the solid solution during annealing of – 2, 177
– , Fe–Mn, kinetics of polymorphic $\gamma\rightarrow\alpha$ transformation and the α phase structure of – 1, 182
– , Fe–Ni–Al–Co, magnetization curves and domains of interaction in high-coercivity – 4, 33
– , Fe–3% Si, features of texture formation during asymmetric cold rolling of – 5, 159
– , Gd–Co after refinement resulting in amorphism. Variation of the magnetic properties of powders of – 5, 90
– , $Ho_xY_{1-x}Co_{5+0.5x}$, magnetic properties of single crystals of – 4, 64

– in which ordering develops internally. II. Decomposition in the surface layer of – . 1, 7
– , iron–carbon, high-temperature X-ray investigation of the austenizing of – 6, 97
– , iron–cobalt, atomic ordering and embrittlement of – 3, 142
– iron–cobalt, with a $\gamma \rightleftarrows \alpha$ transformation. Texture formation in – 6, 127
– , iron–nickel, during loading in the elastic range. The influence of relaxation processes on the martensitic transformation of – 3, 154
– , magnesium–samarium, investigation of the decomposition of a supersaturated solid solution in – 2, 96
– , manganese–antimony, dilatometric investigations of spontaneous magnetostriction of – 2, 63
– , molybdenum-based, on induced recrystallization of – 2, 79
– , $\gamma$-$(Ni_{80-c}Cr_{20})Fe_c$, spin-glass in – 3, 41
– of the Co–Fe–Si–B system. Structure and magnetic properties of amorphous – 6, 46
– of the Pd–Fe and Pd–Fe–Au systems. Electrical and magnetic properties of ordering – 3, 65
– $(Pd_xPt_{1-x})_3Fe$ with mixed exchange interaction. Hall effect in – 4, 47
– , ruthenium, structure of *K*-emission bands of chromium and iron in – 2, 194
– , titanium $\alpha$-, stacking fault energy and texture changes during polygonization of – 4, 187
– , titanium, structure of alpha-phase in two-phase – 2, 85
– , titanium, the influence of hydrogen on the fracture micromechanism in – 3, 190
– , V–Al, electron microscopic investigation of the structure of – 6, 89
– with structure $B8_1$ and B31. An interstitial impurity in – 4, 7
– Zn–0·4% Al and Sn% Pb, disappearance of acoustic emission during superplastic deformation of – 3, 149
**Aluminium** deformed by bending. Small-size X-ray scattering investigation of polygonization in – 4, 190
– in compression, investigation of the mechanism of steady-state creep of – 4, 179
– , influence of electrical pulses on low-temperature (1·7–4·2 K) deformation of – 2, 131
– subjected to ultrasound loading. Grain size after dynamic recrystallization of – 3, 160
**Ammonia,** quench-hardening effects for solutions of calcium and barium in – 2, 159
**Amplitude** dependence of dislocation internal friction and defect of the Young's modulus of solids at small amplitudes of deformation. Feature of the – 3, 171
**Analysis,** comparative, of the Fisher and Whipple models of boundary diffusion 5, 79
– , heat activation, of the process of plastic deformation of molybdenum after neutron irradiation 2, 142
– , X-ray diffraction, of superconducting films of the Nb–Ge system 1, 63
**Anisotropy,** investigation of the, of sudden remagnetization of $SmCo_5$ and $Sm_2Co_{17}$ crystals 1, 87
– , magnetic, of the rare earth subsystem in intermetallic (R–Co) compounds. On the nature of the – 3, 49
– , symmetry of magnetic, of crystals with predominant exchange interaction 1, 1
**Annealing** of a deformed NiPt alloy. Ordering kinetics and structural changes during – 4, 96
– of Fe–Cu alloys after low-temperature electron irradiation. Decomposition of the solid solution during – 2, 177

– of single crystals of molybdenum. Some peculiarities of bending deformation and subsequent – 3, 97
– twin boundaries in f.c.c. polycrystals. Interaction of – 1, 178
**Antiferromagnets** with collectivized electrons. Fluctuation theory of – 5, 55
**Antiphase** boundaries in alloy $Ni_4Mo$. Asymmetric contrast and the structure of – 4, 99
**Argon** ion irradiation. Temperature dependence of void formation in nickel under – 2, 168
**Atomic** bond in Fe–Ni–C austenite. Influence of carbon on the – 5, 114
– diffusion, on the growth kinetics of a carbide phase during surface – 6, 11
– ordering and embrittlement of iron–cobalt alloys 3, 142
– ordering influencing the mechanical properties and character of failure in alloy NiPt 6, 121
**Atoms** in VC based carbide phases. Influence of doping elements on thermal vibrations of – 1, 91
**Austenite** and a pulsating magnetic field on the martensitic transformation in alloy Kh5N20. Influence of thermal stabilization of – 4, 125
– , Fe–Ni–C, influence of carbon on the atomic bond in – 5, 114
**Austenitic** steel 13Kh18N10G3S2M2. Precipitation of excess phases during ageing of deformed – 3, 187
– steel strengthened by thermomechanical treatment. Structural mechanism of stress relaxation in single crystals of an – 5, 121
**Austenitization** of bearing steel. Influence of hydroextrusion on dissolution of cementite during – 3, 118
**Austenizing** of iron–carbon alloys. High-temperature X-ray investigation of the – 6, 97

**Basal** slip, dipole structures which form in magnesium during – 2, 125
**Basis,** a contribution to the construction of an integral rational invariant – 5, 40
**B.c.c.** and f.c.c. structures. Pseudopotential and phonon resistivity of lithium with – 6, 144
– metals, complex texture formation during deformation of – 3, 91
– ordering substitutional alloys with any degree of interstitial site occupation. Diffusion of interstitial atoms in ternary – 4, 1
**Beryllium,** microplastic deformation of – 4, 176
**Bicrystals,** growth and structure of niobium – 4, 137
**Boundaries** in alloy $Ni_4Mo$. Asymmetric contrast and the structure of antiphase – 4, 99
– of differing mobility. Grain growth in a polycrystal with – 2, 179
**Boundary** conditions, calculations of the magnetic state of impurity iron in aluminium and copper in the cluster approximation with $k$-dependent – 2, 36
– diffusion, comparative analysis of the Fisher and Whipple models of – 5, 79
– regions and their influence on the development of microplastic deformation in molybdenum with grain-boundary segregations of nickel. Structural features of – 6, 180
**Bubble,** cylindrical magnetic, and the relief of a uniaxial film. Approximate calculation of the interaction between a – 5, 49

**Calculation,** approximate, of the interaction between a cylindrical magnetic bubble and the relief of a uniaxial film 5, 49
– of magnetic moments in Fe–Co–Ni systems in the coherent potential approximation 2, 188

– of the dislocation contribution to resistivity and thermal e.m.f. during resonance scattering 5, 67
– of the efficiency of point defect trapping by vacancy voids in γ Fe. Machine modelling – 6, 16
– of the magnetic state of impurity iron in aluminium and copper in the cluster approximation with *k*-dependent boundary conditions 2, 36
– , pseudopotential, of thermal in alkali metals 3, 179
**Capacitor** in a magnetic field. Quantum oscillations of the recharge current of a – 3, 6
**Carbide** formation processes in the martensite of chromium steel. Direct electron microscopic observation of – 3, 105
– forming elements in embrittlement and elimination of embrittlement during secondary hardening of alloyed steels. The role of – 6, 103
– phase during surface atomic diffusion. On the growth kinetics of a – 6, 11
– phases, influence of doping elements on thermal vibrations of atoms in VC based – 1, 91
**Carbides,** zirconium and niobium, self-diffusion of $^{147}Pm$ in – 6, 177
**Carbon** and alloying elements influencing the recrystallization of maraging Fe–Ni steels 4, 141
– influencing the atomic bond in Fe–Ni–C austenite 5, 114
– in polycrystalline lanthanum. Diffusion and heat transport of – 6, 78
**Cellular** structure, nature of formation and geometric characteristics of a weakly-misoriented – 6, 25
**Cementite,** dissolution of, during austenitization of bearing steel. Influence of hydroextrusion on – 3, 118
**Change** in dislocation structure of copper due to the interaction of static and ultrasonic stresses 6, 138
– in size of dislocation loops. Determination of the type and quantity of point defects from the – 6, 171
– of magnetic state of a collective of dispersed ferromagnetic particles as a function of the interparticle spacing 1, 42
– of volume during transition of amorphous film $Fe_{40}Ni_{40}P_{14}B_6$ (2826) to crystalline state 6, 161
**Channels,** low-coercivity, magnetic structure of films with – 6, 167
**Charge** density fluctuations in the Hubbard model in the strong interaction range. Correlation of – 5, 185
**Chromium** and iron in ruthenium alloys. Structure of *K*-emission bands of – 2, 194
**Coefficient** of stress intensity. Connection between phase Transformations in austenitic steels and range of – 3, 80
**Coils,** dislocation elasticity of metallic – 4, 155
**Cold** rolling of Fe–3% Si alloys. Features of texture formation during asymmetric – 5, 159
**Compound,** multicomponent chemical, during irreversible reaction at matrix defects. Formation of a – 3, 10
– $SmCo_5$, structure peculiarities and properties of sintered permanent magnets based on – 1, 47
– $YMn_2$, paramagnetic, first-order structural phase transition in – 1, 168
**Compounds** $Dy(Fe–Ga)_2$. Magnetic properties of intermetallic – 1, 54
– , metal-containing layered, diamagnetism of conduction electrons in thin films of – 6, 39

– , metal–hydrogen, based on group V transition metals V, Nb, Ta. High-temperature diffusion mobility of hydrogen in – 1, 130
– of 4*f*–3*d* metals. Magnetization of amorphous alloys based on – 4, 88
– , (R–Co), on the nature of the magnetic anisotropy of the rare earth subsystem in intermetallic – 3, 49
– $RCo_c$(R = Ho, Tm), magnetic properties of single crystals of – 6, 53
– , $RNiAl_2$, magnetic susceptibility and crystal structure of – 2, 191
– , $R_2Ni_2Ga$ and $R_2Ni_2Al$, magnetic and crystallographic parameters of – 4, 58
– $Tb_xY_{1-x}Co_5$, neutron diffraction study of intermetallic – 4, 198
– , $Ti_3Al$, nuclear gamma resonance on impurity atoms $^{57}Fe$ in – 6, 150
**Computer** modelling of texture formation in plastic deformation of f.c.c. and h.c.p. metals 4, 183
**Conduction** electrons in thin films of metal-containing layered compounds. Diamagnetism of – 6, 39
**Cooling,** rapid, influencing the magnetic properties of transformer steel 1, 192
**Copper** containing dispersed oxide particles. Yield point of polycrystalline – 1, 144
– in a wide temperature range. Kinetics of collective recrystallization of – 5, 131
– , structure of, due to the interaction of static and ultrasonic stresses. Change in dislocation – 6, 138
**Correlation** of charge density fluctuations in the Hubbard model in the strong interaction range 5, 185
**Crack** in a polycrystalline foil of plastic metal. Kinetics of thermal fluctuation growth of a major – 3, 123
**Cracks,** hair-line, growth kinetics of – 4, 165
– in polycrystals of a solid solution of copper–antimony. Development of slip traces and formation of – 3, 136
**Creep** and swelling in irradiated metals. Concerning the relation between – 4, 146
– , low-temperature, of high-purity tin single crystals 3, 130
– of a dispersion hardening steel. Dependence of time-to-rupture on rate of quasi-stationary – 1, 153
– , steady-state, of aluminium in compression. Investigation of the mechanism of – 4, 179
**Critical** grain size on transition to superplastic flow 3, 175
**Crystal** near dislocations, on local melting of a – 6, 1
– structure of Fe–Co alloys with additions of vanadium and chromium. Magnetic properties and fine – 5, 84
– structure of $RNiAl_2$ compounds. Magnetic susceptibility and – 2, 191
– , two types of midrib in a single martensite – 2, 171
**Crystalline** state, change of volume during transition of amorphous film $Fe_{40}Ni_{40}P_{14}B_6$ (2826) to – 6, 161
**Crystallization** of amorphous metals induced by a flow of helium gas at $T \leqslant 4{\cdot}2$ K 2, 165
**Crystallographic** and magnetic parameters of $R_2Ni_2Ga$ and $R_2Ni_2Al$ compounds 4, 58
**Crystals** during deformation. Theory of plastic rotations in – 1, 13
– , molybdenum, localized macroscopic shears in compressed – 5, 174
– , orthorhombic, with non-uniform exchange-relativistic interaction. Equilibrium states and magnetic order–order phase transitions in – 1, 171

– , $SmCo_5$ and $Sm_2Co_{17}$. Investigation of the anisotropy of sudden remagnetization of – 1, 87
– with predominant exchange interaction. Symmetry of magnetic anisotropy of – 1, 1
**Cubic** texture in materials with f.c.c. lattice. On the mechanism of formation of a – 6, 155
**Curie point** of a dilute ferromagnetic alloy. Influence of isostructural nuclei of a new phase on the – 5, 72
**Current,** recharge, of a capacitor in a magnetic field. Quantum oscillations of the – 3, 6

**Damageability** of a deformed metal. Estimating the – 4, 149
**Decay** in ferromagnetics. Generalized statistical theory of magnetoelastic – 5, 1
**Decomposition** in the surface layer of alloys in which ordering develops internally. II. 1, 7
– of a diffusion-saturated $Cu–Al_2O_3–Cr$ alloy. Regularities of structural transformations during – 5, 107
– of a supersaturated solid solution in magnesium–samarium alloys. Investigation of the – 2, 96
– of the martensite of a quenched high-nickel steel. Features of the first stage of – 3, 194
– of the solid solution during annealing of Fe–Cu alloys after low-temperature electron irradiation 2, 177
– of the $\beta$ solid solution in the high-duty titanium alloy VT22. Influence of the initial structure on the character of – 4, 119
– of undercooled $\beta$ phase in titanium alloy VT23 5, 152
**Defect** of the Young's modulus of solids at small amplitudes of deformation. Features of the amplitude dependence of dislocation internal friction and – 3, 171
**Deformation** and hardening of tantalum during uniaxial tension. Investigation of – 1, 185
– and heat treatment programmes. Investigation of the structure and properties of aluminium–magnesium alloys with high magnesium content after different – 3, 113
– , bending, and subsequent annealing of single crystals of molybdenum. Some peculiarities of – 3, 97
– condition influencing texture formation and plasticity of titanium alloys under hydrostatic pressure 2, 146
– , features of the amplitude dependence of dislocation internal friction and defect of the Young's modulus of solids at small amplitudes of – 3, 171
– of aluminium. Influence of electrical pulses on low-temperature (1·7–4·2 K) – 2, 131
– of b.c.c. metals. Complex texture formation during – 3, 91
– of single crystals of alloy KhN77TYuR. Dynamic recrystallization during high-temperature tensile – 1, 135
– on the superfine structure of the Mössbauer spectrum of steel U7. The influence of – 4, 174
– , superplastic, of alloys Zn–0·4% Al and Sn–38% Pb. Disappearance of acoustic emission during – 3, 149
– , theory of plastic rotations in crystals during – 1, 13
**Deformed** austenitic steel 13Kh18N10G3S2M2. Precipitation of excess phases during ageing of – 3, 187
– metal, estimating the damageability of a – 4, 149
– NiPt alloy, ordering kinetics and structural changes during annealing of a – 4, 96

**Dependence** of time-to-rupture on rate of quasistationary creep of a dispersion hardening steel 1, 153
**Diamagnetism** of conduction electrons in thin films of metal-containing layered compounds 6, 39
**Diffraction,** neutron, study of intermetallic compounds $Tb_xY_{1-x}Co_5$ 4, 198
**Diffusion** and heat transport of carbon in polycrystalline lanthanum 6, 78
– in amorphous metallic films 5, 35
– of interstitial atoms in ternary b.c.c. ordering substitutional alloys with any degree of interstitial site occupation 4, 1
– of interstitial solutions with allowance for long-range interaction. Modelling microscopic – 4, 26
– saturation by nickel from a gas phase. Concerning the development of voids in iron during – 1, 103
**Dilatation** effects during tempering of alloy 10N28 subjected to HTMT 6, 74
**Dilatometric** investigations of spontaneous magnetostriction of manganese–antimony alloys 2, 63
**Dipole** structures which form in magnesium during basal slip 2, 125
**Disappearance** of acoustic emission during superplastic deformation of alloys Zn–0·4% Al and Sn–38% Pb 3, 149
**Diclocasion** contribution to resistivity and thermal e.m.f. during resonance scattering. Calculation of the – 5, 67
– elasticity of metallic coils 4, 155
– internal friction and defect of the Young's modulus of solids at small amplitudes of deformation. Features of the amplitude dependence of – 3, 171
– loops, determination of the type and quantity of point defects from the change in size of – 6, 171
– nodes in h.c.p. crystals. Equilibrium configurations of three-dimensional – 2, 138
– resistivity of metals and magnetic ordering at dislocations. On a possible connection between the temperature step on the – 1, 24
– structure after hot deformation of high titanium alloy VT22 2, 118
– structure of copper due to the interaction of static and ultrasonic stresses 6, 138
– with point defects. The amplitude-dependent absortion of ultrasound and the interaction of a – 2, 16
**Dislocations** influencing the secondary mechanism 5, 142
– , on local melting of a crystal near – 6, 1
– , the influence of, on solubility of impurities in a metal. Electron paramagnetic resonance investigation of – 1, 187
**Disordered** ferromagnets, magnetoelastic interactions in – 3, 28
**Dissociation** of dislocations, influence of alloying of $\alpha$-Fe on – 2, 154
**Dissolution** of cementite during asutenitization of bearing steel. Influence of hydroextrusion on – 3, 118
**Domain,** on the shape of a moving magnetic – 6, 170
– structure and magnetization of narrow strips of Permalloy film 1, 58
– structure in amorphous metallic alloys. On the formation of magnetic anisotropy and a – 5, 100
– wall on magnetic hysteresis. Influence of the form of the random potential of

a – . I. Highly localized centres of pinning 6, 158
**Domains,** edge, during pulsed remagnetization of thin magnetic films. On the growth mechanisms of – 4, 195
– of interaction in high-coercivity Fe–Ni–Al–Co alloys. Magnetization curves and – 4, 33
**Doppler-shifted acoustic cyclotron resonance** in tungsten and molybdenum 4, 38
**Dynamic** recrystallization during high-temperature tensile deformation of single crystals of alloy KhN77TYuR 1, 135
**Dysprosium** single crystals, optical properties of a – 4, 77

**Effect** of stresses on grain boundary segregation of phosphorus during tempering. Electron spectroscopy investigation of the – 2, 105
**Effects,** quench-hardening, for solutions of calcium and barium in ammonia 2, 159
**Elastic** moduli and velocity of sound in metals. Low-temperature quantum oscillations of – 2, 12
– stresses influencing step ageing of alloys. Determination of the critical radius of coherent particles 1, 34
– stresses influencing step ageing of alloys. Stability of precipitate system in stage of high-temperature ageing 1, 28
**Elasticity,** dislocation, of metallic coils 4, 155
**Electrical** and magnetic properties of ordering alloys in the Pd–Fe and Pd–Fe–Au systems 3, 65
– conductivity of thin metal films during small-angle electron-phonon scattering 2, 43
– pulses influencing low-temperature (1·7–4·2 K) deformation of aluminium 2, 131
**Electron,** effect, microscopic observation of carbide formation processes in the martensite of chromium steel 3, 105
– fluid with magnetic impurities. Spin waves in an – 5, 46
– irradiation, decomposition of the solid solution during annealing of Fe–Cu alloys after low-temperature – 2, 177
– microscopic investigation of the structure of V–Al alloys 6, 89
– paramagnetic resonance investigation of the influence of dislocations on solubility of impurities in a metal 1, 187
– phonon scattering. Electrical conductivity of thin metal films during small-angle – 2, 43
– spectroscopy investigation of the effect of stresses on grain boundary segregation of phosphorus during tempering 2, 105
– "surplus" and spin wave in a ferromagnetic chain. Coupled state of a – 2, 174
**Electronic** structure of CsCl-type alloys: quasiband cluster calculation 3, 24
**Electrons,** fluctuation theory of antiferromagnets with collectivized – 5, 55
**Embrittlement** and elimination of embrittlement during secondary hardening of alloyed steels. The role of carbide-forming elements in – 6, 103
– of iron–cobalt alloys. Atomic ordering and – 3, 142
**E.m.f.,** thermal, during resonance scattering. Calculation of the dislocation contribution to resistivity and – 5, 67
**Energy,** stacking fault, and texture changes during polygonization of titanium α-alloys 4, 187
– , stacking fault, in alloy Al–4% Cu. Experimental determination of – 2, 156

**Equiatomic** composition, structure transformations in CoPd films of – 5, 179
**Equilibrium** concentration of vacancies in phases of decomposed alloys 6, 135
– configurations of three-dimensional dislocation nodes in h.c.p. crystals 2, 138
– states and magnetic order–order phase transitions in orthorhombic crystals with non-uniform exchange-relativistic interaction 1, 171
**Exchange,** double, and the spin wave approximation 3, 177
– interaction. Symmetry of magnetic anisotropy of crystals with predominant – 1, 1
– interaction, Hall effect in alloys $(Pd_xPt_{1-x})_3Fe$ with mixed – 4, 47
**Excitation** spectrum, the theory of spatially periodic structures. Fermi branch of – 5, 17
**Expansion,** thermal, in alkali metals. Pseudopotential calculation of – 3, 179

**Failure** and porosity during superplastic flow of alloy Al–4 wt.% Cu. Development of – 6, 130
– in alloy NiPt. Influence of atomic ordering on the mechanical properties and character of – 6, 121
**F.c.c.** and b.c.c. structures. Pseudopotential and phonon resistivity of lithium with – 6, 144
– and h.c.p. metals. Computer modelling of texture formation in plastic deformation of – 4, 183
– lattice, on the mechanism of formation of a cubic texture in materials with – 6, 155
– polycrystals, interaction of annealing twin boundaries in – 1, 178
– polycrystals, multiple special junctions of grain boundaries in – 2, 182
**Features** of heat deformiaton of two-phase $(\gamma+\varepsilon)$ alloy of the type G20. Investigation of – 4, 160
– of phase transformations during heat treatment of permanent Sm (Co, Cu, Fe)$_7$ magnets 5, 97
– of texture formation during asymmetric cold rolling of Fe–3% Si alloys 5, 159
– of the amplitude dependence of dislocation internal friction and defect of the Young's modulus of solids at small amplitudes of deformation 3, 171
– of the first stage of decomposition of the martensite of a quenched high-nickel steel 3, 194
– of the formation of an oxide phase during low-temperature saturation of niobium alloys with oxygen 6, 183
– , some, of equilibrium segregation in refractory metals of group VIA 6, 84
**Fermi branch** of excitation spectrum. The theory of spatially periodic structures. – 5, 17
**Ferromagnet,** uniaxial, some exact multidimensional solutions of the Landau–Lifshits equations in a – 4, 15
– with strong magnetostriction. On the properties of a – 3, 1
**Ferromagnetic** chain, coupled state of a "surplus" electron and spin wave in a – 2, 174
– metals, the Schoenberg effect in – 1, 174
– particles as a function of the interparticle spacing. Change of magnetic state of a collective of dispersed – 1, 42
**Ferromagnetics,** generalized statistical theory of magnetoelastic decay in – 5, 1
**Ferromagnets,** hexagonal, internal friction during second order spin-reorientation transitions in – 3, 18
– , isotropic, in weak and moderate fields. Analytic description of magnetization of – 4, 71
**Fields,** weak and moderate, analytic description of magnetization of isotropic ferromagnets in – 4, 71

**Film** $Fe_{40}Ni_{40}P_{14}B_6$ (2826) to crystalline state. Change of volume during transition of amorphous – 6, 161
– , relief of a uniaxial, approximate calculation of the interaction between a cylindrical magnetic bubble and the – 5, 49
**Films,** amorphous Co–P, influence of heat treatment and irradiation on the structure and magnetic properties of – 4, 81
– , CoPd, of equiatomaic composition. Structure transformations in – 5, 179
– , diffusion in amorphous metallic – 5, 35
– , electrical conductivity of thin metal, during small-angles electron-phonon scattering 2, 43
– , garnet ferrite, with an inclined compensation surface. Experimental investigation of magnetization of – 3, 54
– of the Nb–Ge system. X-ray diffraction analysis of superconducting – 1, 63
– , thin magnetic, on the growth mechanisms of edge domains during pulsed remagnetization of – 4, 195
– , thin, of metal-containing layered compounds. Diamagnetism of conduction electrons in – 6, 39
– with low-coercivity channels. Magnetic structure of – 6, 167
**Fisher model** and Whipple model of boundary diffusion. Comparative analysis of the – 5, 79
**Flow** of alloy Al–4 wt.% Cu. Development of porosity and failure during superplastic – 6, 130
– , superplastic, critical grain size on transition to – 3, 175
**Formation** and decomposition of silicide phases in the niobium–silicon system. Field-emission study of the – 3, 73
**Fracture,** delayed, influence of titanium on the tendency of maraging steel to – 1, 148
– micromechanisms in titanium alloys. The influence of hydrogen on the – 3, 190
– of directionally crystallized engineering steel. Mechanical properties and the – 1, 159
**Fractures,** X-ray diffraction investigation of the structure of – 6, 110

**Gas** phase, concerning the development of voids in iron during diffusion saturation by nickel from a – 1, 103
**Grain** boundaries in f.c.c. polycrystals. Multiple special junctions of – 2, 182
– boundaries in systems with limited solubility. Adsorption thermodynamics on – 5, 138
– boundary migration influencing the parameters of an inhibitor phase in alloy Fe–3% Si 3, 85
– boundary segregation of phosphorus during tempering. Electron spectroscopy investigation of the effect of stresses on – 2, 105
– growth in a polycrystal with boundaries of differing mobility 2, 179
– size after dynamic recrystallization of aluminium subjected to ultrasonic loading 3, 160
– size, critical, on transition to superplastic flow 3, 175
– size of primary recrystallization on development of secondary recrystallization and texture formation in alloy Fe–3% Si. Influence of – 2, 74
**Green's function** method of calculating normalized wave functions applied to vanadium 2, 6
**Growth** and structure of niobium bicrystals 4, 137
– kinetics of a carbide phase during surface atomic diffusion. On the – 6, 11
– kinetics of hair-line cracks 4, 165

– mechanisms of edge domains during pulsed remagnetization of thin magnetic films. On the – 4, 195
– of a major crack in a polycrystalline foil of plastic metal. Kinetics of thermal fluctuation – 3, 123

**Hall effect** in alloys $(Pd_xPt_{1-x})_3Fe$ with mixed exchange interaction 4, 47
**Hardening** and deformation of tantalum during uniaxial tension. Investigation of – 1, 185
– mechanism, influence on the secondary – 5, 142
– of alloyed steels. The role of carbide-forming elements in embrittlement and elimination of embrittlement during secondary – 6, 103
**H.c.p.** and f.c.c. metals. Computer modelling of texture formation in plastic deformation of – 4, 183
– crystals, equilibrium configurations of three-dimensional dislocation nodes in – 2, 138
**Heat** activation analysis of the process of plastic deformation of molybdenum after neutron irradiation 2, 142
– capacity, lattice, of niobium in the temperature range 10–300 K 1, 69
– deformation of two-phase ($\gamma+\varepsilon$) alloy of the type G20. Investigation of features of – 4, 160
– hardening on the structure and properties of engineering steel. Influence of HTMT and inherited – 3, 101
– transport of carbon in polycrystalline lanthanum. Diffusion and – 6, 78
– treatment and irradiation influencing the structure and magnetic properties of amorphous Co–P films 4, 81
– treatment influencing the martensitic transformation and properties of copper–aluminium–zinc alloys 3, 166
– treatment of permanent $Sm(Co, Cu, Fe)_7$ magnets. Features of phase transformations during – 5, 97
– treatment programmes influencing the fine structure and mechanical properties of titanium alloy VT3-1 4, 130
– treatment programmes. Investigation of the structure and properties of aluminium–magnesium alloys with high magnesium content after different deformation and – 3, 113
**Heating,** strengthening and phase transformations of nickel–molybdenum steels during – 2, 89
**Helium** gas at $T \leqslant 4{\cdot}2$ K. Crystallization in amorphous metals induced by a flow of – 2, 165
**High-temperature** diffusion mobility of hydrogen in metal–hydrogen compounds based on group V transition metals V, Nb, Ta 1, 130
– thermomechanical treatment influencing the properties of high-purity steel 5, 188
**Homogenization,** "cold", during interdiffusion in dispersed media 1, 124
**Hot** deformation of high titanium alloy VT22. Dislocation structure after – 2, 118
– electrons in metals. Non-stationary Nernst–Ettingshausen effect of – 2, 186
**HTMT** and inherited heat hardening on the structure and properties on engineering steel. Influence of – 3, 101
**Hubbard model** in the strong interaction range. Correlation of charge density fluctuations in the – 5, 185
**Hydrides** of lanthanum and neodymium. Nuclear magnetic resonance in – 1, 80

**Hydroextrusion** influencing dissolution of cementite during austenitization of bearing steel 3, 118
**Hydrogen** absorption in amorphous alloy $Co_{71}Fe_5Si_{15}B_9$ 3, 169
– influencing the fracture micromechanism in titanium alloys 3, 190
– in metal–hydrogen compounds based on group V transition metals V, Nb, Ta. High-temperature diffusion mobility of – 1, 130
– phase hardened palladium. Recovery of mechanical and physical properties of – 2, 149
**Hydrostatic** pressure, influence of deformation conditions on texture formation and plasticity of titanium alloys under – 2, 146
– pressure influencing slip geometry in single crystals of silicon iron 2, 112
**Hysteresis,** magnetic, influence of the form of the random potential of a domain wall on – . I. Highly localized centres of pinning 6, 158

**Impurities** in a metal. Electron paramagnetic resonance investigation of the influence of dislocations on solubility of – 1, 187
– , magnetic, in a quantizing magnetic field. Influence of the Kondo effect on transverse magnetoresistance of metals and semiconductors with – 2, 25
**Impurity,** an interstitial, in alloys with structure $B8_1$ and B31 4, 7
– atoms $^{57}Fe$ in $Ti_3Al$ compounds. Nuclear gamma resonance on – 6, 150
– iron in aluminium and copper in the cluster approximation with *k*-dependent boundary conditions. Calculations of the magnetic state of – 2, 36
**Influence** of alloying of α-Fe on dissociation of dislocations 2, 154
– of chemical composition of the value of the work function of intermetallides. Concerning the – 1, 84
– of doping elements on thermal vibrations of atoms in VC based carbide phases 1, 91
– of grain size of primary recrystallization on development of secondary recrystallization and texture formation in alloy Fe–3% Si 2, 74
– of HTMT and inherited heat hardening on the structure and properties of engineering steel 3, 101
– of low-temperature annealing on martensitic transformation point in titanium nickelide 6, 152
– of the 3*d* element on magnitude of magnetoelastic interaction in rare-earth compounds. Investigation of the $TbCo_{2-x}Ni_x$ system 6, 59
– of the initial structure on the character of decomposition of the β solid solution in the high-duty titanium alloy VT22 4, 119
– , the, of deformation on the superfine structure of the Mössbauer spectrum of steel U7 4, 174
– , the, of relaxation processes on the martensitic transformation of iron–nickel alloys during loading in the plastic range 3, 154
– , the, of tensile stress on radiation swelling of nickel 3, 164
**Interaction** between a cylindrical magnetic bubble and the relief of a uniaxial film. Approximate calculation of the – 5, 49
– , exchange, symmetry of magnetic anisotropy of crystals with predominant – 1, 1
– in high-coercivity Fe–Ni–Al–Co alloys. Magnetization curves and domains of – 4, 33
– , long-range, modelling microscopic diffusion of interstitial solutions with allowance for – 4, 26
– , non-uniform exchange-relativistic. Equilibrium states and magnetic order–order

phase transitions in orthorhombic crystals with – 1, 171
– of a dislocation with point defects. The amplitude-dependent absorption of ultrasound and the – 2, 16
– of annealing twin boundaries in f.c.c. polycrystals 1, 178
– of static and ultrasonic stresses. Change in dislocation structure of copper due to the – 6, 138
– range, correlation of charge density fluctuations in the Hubbard model in the strong – 5, 185
**Interactions,** magnetoelastic, in disordered ferromagnets 3, 28
**Interdiffusion** in dispersion media. "Cold" homogenization during – 1, 124
**Intermetallic** compounds $Dy(Fe–Ga)_2$. Magnetic properties of – 1, 54
– compounds $Tb_xY_{1-x}Co_5$. Neutron diffraction study of – 4, 198
– (R–C) compounds. On the nature of the magnetic anisotropy of the rare earth subsystem in – 3, 49
**Intermetallides,** concerning the influence of chemical composition on the value of the work function of – 1, 84
**Internal** friction during second order spin-reorientation transitions in hexagonal ferromagnets 3, 18
– friction in commercial titanium. High-temperature – 2, 162
– magnetic domain. On the shape of a moving – 6, 170
**Interparticle** spacing, change of magnetic state of a collective of dispersed ferromagnetic particles as a function of the – 1, 42
**Interstitial,** an, impurity in alloys with structure $B8_1$ and B31 4, 7
– atoms in ternary b.c.c. ordering substitutional alloys with any degree of interstitial site occupation. Diffusion of – 4, 1
– solutions with allowance for long-range interaction. Modelling microscopic diffusion of – 4, 26
**Invar** alloys, on the nature of magnetic volume phenomena in – 3, 185
**Investigation,** electron microscopic, of the structure of V–Al alloys 6, 89
– , electron paramagnetic resonance, of the influence of dislocations on solubility of impurities in a metal 1, 187
– , electron spectroscopy, of the effect of stresses on grain boundary segregation of phosphorus during tempering 2, 105
– , experimental, of magnetization of garnet ferrite films with an inclined compensation surface 3, 54
– , high-temperature X-ray, of the austenizing of iron–carbon alloys 6, 97
– of deformation and hardening of tantalum during uniaxial tension 1, 185
– of features of heat deformation of two-phase $(\gamma+\varepsilon)$ alloy of the type G20 4, 160
– of influence of the inclination of the easy axis of magnetization on the parameters of cylindrical magnetic domains 1, 74
– of Mössbauer interaction patterns. A group theory approach to the – . Magnetic structures 2, 1
– of second phase precipitation processes in titanium alloy VT30 3, 157
– of the anisotropy of sudden remagnetization of $SmCo_5$ and $Sm_2Co_{17}$ crystals 1, 87
– of the decomposition of a supersaturated solid solution in magnesium–samarium alloys 2, 96

– of the mechanism of steady-state creep of aluminium in compression 4, 179
– of the structure and properties of aluminium–magnesium alloys with high magnesium content after different deformation and heat treatment programmes 3, 113
– , small-angle X-ray scattering, of polygonization in aluminium deformed by bending 4, 190
**Ion** irradiation, temperature dependence of void formation in nickel under argon – 2, 168
**Iron** and chromium alloys. Structure of *K*-emission bands of – 2, 194
– during diffusion saturation by nickel from a gas phase. Concerning the development of voids in – 1, 103
– , pure, after recrystallization from the melt. Possibility of the isomorphous cooling of – 1, 117
**Irradiated** alloy $Fe_3Al$ during phase transformations. Structure changes in – 5, 163
– metals, concerning the relation between creep and swelling in – 4, 146
**Irradiation** creep, temperature dependence of rate of – 6, 33
– , decomposition of the solid solution during annealing of Fe–Cu alloys after low-temperature electron – 2, 177
**Isostructural** nuclei of a new phase influencing the Curie point of a dilute ferromagnetic alloy 5, 72

**Kinetics** of collective recrystallization of copper in a wide temperature range 5, 131
– of polymorphic $\gamma \rightarrow \alpha$ transformation and the $\alpha$ phase structure of Fe–Mn alloys 1, 182
– of thermal fluctuation growth of a major crack in a polycrystalline foil of plastic metal 3, 123
**"Kondo"** and **"spin glass" states** in copper–iron alloys 4, 53
**Kondo effect,** the, influencing transverse magnetoresistance of metals and semiconductors with magnetic impurities in a quantizing magnetic field 2, 25

**Landau–Lifshits equations** in a uniaxial ferromagnet. Some exact multidimensional solutions of the – 4, 15
**Lanthanum,** polycrystalline, diffusion and heat transport of carbon in – 6, 78
**Lattice** heat capacity of niobium in the temperature range 10–300 K 1, 69
**Lifetimes,** mean, of metastable phases in type-I superconductors 2, 47
**Loss** and absorption spectra of rare earth metals. A comparison of the $N_{4,5}$ characteristic – 4, 168
**Low-temperature** annealing on martensitic transformation point in titanium nickelide. Influence of – 6, 152
– creep of high purity tin single crystals 3, 130

**Machine** modelling calculation of the efficiency of point defect trapping by vacancy voids in $\gamma$ Fe 6, 16
**Magnesium** during nasal slip. Dipole structures which form in – 2, 125
**Magnetic** anisotropy and a domain structure in amorphous metallic alloys. On the formation – 5, 100
– anisotropy of crystals with predominant exchange interaction. Symmetry of – 1, 1
– and crystallographic parameters of $R_2Ni_2Ga$ and $R_2Ni_2Al$ compounds 4, 58
– anisotropy, on the nature of the, of the rare earth subsystem in intermetallic (R–Co) compounds 3, 49

– domains, investigation of influence of the inclination of the easy axis of magnetization on the parameters of cylindrical – 1, 74
– field, influence of the Kondo effect on transverse magnetoresistance of metals and semiconductors with magnetic impurities in a quantizing – 2, 25
– field influencing temperature of transition to the superferromagnetic state 4, 193
– field, quantum oscillations of the recharge current of a capacitor in a – 3, 6
– impurities, spin waves in an electron fluid with – 5, 46
– ordering at dislocations. On a possible connection between the temperature step on the dislocation resistivity of metals and – 1, 24
– order–order phase transitions in orthorhombic crystals with non-uniform exchange-relativistic interaction. Equilibrium states and – 1, 171
– phase transitions in $FeGe_2$ 6, 163
– properties and fine crystal structure of Fe–Co alloys with additions of vanadium and chromium 5, 84
– properties of amorphous alloys of the Co–Fe–Si–B system. Structure and – 6, 46
– properties of intermetallic compounds $Dy(Fe–Ga)_2$ 1, 54
– properties of powders of Gd–Co alloys after refinement resulting in amorphism. Variation of the – 5, 90
– properties of single crystals of compounds $RCo_3$ (R = Ho, Tm) 6, 53
– properties of single crystals of $Ho_xY_{1-x}Co_{5+0.5x}$ alloys 4, 64
– properties of textured single-domain Fe and Ni powders 2, 68
– properties of transformer steel. Influence of rapid cooling on the – 1, 192
– state, calculation of the, of impurity iron in aluminium and copper in the cluster approximation with *k*-dependent boundary conditions 2, 36
– state, change of, of a collective of dispersed ferromagnetic particles as a function of the interparticle spacing 1, 42
– structure of films with low-coercivity channels 6, 167
– structures. A group-theory approach to the investigation of Mössbauer diffraction patterns. – 2, 1
– susceptibility and crystal structure of $RNiAl_2$ compounds 2, 191
– susceptibility and superconductive transition point of phase $Nb_3SnH_x$ of variable composition 3, 36
– volume phenomena in invar alloys. On the nature of – 3, 185
**Magnetization** curves and domains of interaction in high-coercivity Fe–Ni–A–Co alloys 4, 33
– of amorphous alloys based on compounds of 4*f*–3*d* metals 4, 88
– of garnet ferrite films with an inclined compensation surface. Experimental investigation of – 3, 54
– of isotropic ferromagnets in weak and moderate fields. Analytic description of – 4, 71
– on the parameters of cylindrical magnetic domains. Investigation of influence of the inclination of the easy axis of – 1, 74
– , towards a statistical theory of – 4, 21
**Magnetocaloric** effect in single crystal $Tb_{0.78}Gd_{0.22}$. Peculiarities of the – 3, 69
**Magnetoelastic** decay in ferromagnetics. Generalized statistical theory of – 5, 1
– interactions in disordered ferromagnets 3, 28
– interaction in rare-earth compounds. Influence of the 3*d* element on magnitude of – . Investigation of the $TbCo_{2-x}Ni_x$ system 6, 59

**Magnetoresistance** of metals and semiconductors with magnetic impurities in a quantizing magnetic field. Influence of the Kondo effect on transverse – 2, 25
**Magnetostriction** of manganese–antimony alloys. Dilatometric investigations of spontaneous – 2, 63
– , on the properties of a ferromagnet with strong – 3, 1
**Magnets** based on compound $SmCo_5$. Structure peculiarities and properties of sintered permanent – 1, 47
– , $Sm(Co, Cu, Fe)_7$, features of phase transformations during heat treatment of permanent – 5, 97
**Maraging** Fe–Ni steels, the influence of carbon and alloying elements on the recrystallization of – 4, 141
– steel to delayed fracture. Influence of titanium on the tendency of – 1, 148
**Martensite** crystal, two types of midrib in a single – 2, 171
– , development of plastic deformation of packet – . Medium-carbon steel 6, 118
– of a quenched high-nickel steel. Features of the first stage of decomposition of the – 3, 194
– of chromium steel. Direct electron microscopic observation of carbide formation processes in the – 3, 105
**Martensitic** transformation and properties of copper–aluminium–zinc alloys. The influence of heat treatment on the – 3, 166
– transformation in alloy Kh5N20. Influence of thermal stabilization of austenite and a pulsating magnetic field on the – 4, 125
– transformation of iron–nickel alloys during loading in the elastic range. The influence of relaxation processes on the – 3, 154
– transformation point in titanium nickelide. Influence of low-temperature annealing on – 6, 152
**Materials** with f.c.c. lattice. On the mechanism of formation of a cubic texture in – 6, 155
**Matrix** defects, formation of a multicomponent chemical compound during irreversible reaction at – 3, 10
– , elastic strain of the, due to particles of phase $ScAl_3$ in an Al–Mg–Sc alloy. Determination of – 1, 189
**Mechanical** properties and character of failure in alloy NiPt. Influence of atomic ordering on the – 6, 121
– properties and the fracture of directionally crystallized engineering steel 1, 159
– properties of titanium alloy VT3-1. Influence of heat treatment programmes on the fine structure and – 4, 130
**Mechanism** of formation of a cubic texture in materials with f.c.c. lattice. On the – 6, 155
– of steady-state creep of aluminium in compression. Investigation of the – 4, 179
**Mechanisms,** growth, of edge domains during pulsed remagnetization of thin magnetic films. On the – 4, 195
**Media,** dispersed, "cold" homogenization during interdiffusion in – 1, 124
**Melt,** possibility of the isomorphous cooling of pure iron after recrystallization from the – 1, 117
**Melting** of a crystal near dislocations. On local – 6, 1
– of metals, towards a theory of – 5, 26
**Metal,** electron paramagnetic resonance investigation of the influence of dislocations on solubility of impurities in a – 1, 187

– , plastic, kinetics of thermal fluctuation growth of a major crack in a polycrystalline foil of – 3, 123
**Metallic** coils, dislocation elasticity of – 4, 155
– plate excited by weakly decaying waves. Shape of nuclear magnetic resonance line in a – 5, 9
**Metals,** a comparison of the $N_{4,5}$ characteristic loss and absorption spectra of rare earth – 4, 168
– , amorphous, induced by a flow of helium gas at $T \leqslant 4{\cdot}2$ K. Crystallization of – 2, 165
– , computer modelling of texture formation in plastic deformation of f.c.c. and h.c.c. – 4, 183
– , 4*f*–3*d*, magnetization of amorphous alloys based on compounds of – 4, 88
– , non-stationary Nernst–Ettingshausen effect of hot electron in – 2, 186
– of group VIA. Some features of equilibrium segregation in refractory – 6, 84
– , the Schoenberg effect in ferromagnetic – 1, 174
– , towards a theory of melting of – 5, 26
**Metastable** phases in type-1 superconductors. Mean lifetimes of – 2, 47
**Method,** a new, of determining the surface tension of alloys 4, 114
– , Green's function, of calculating normalized wave functions applied to vanadium 2, 6
**Microplastic** deformation in molybdenum with grain-boundary segregations of nickel. Structural features of boundary regions and their influence of the development of – 6, 180
– deformation of beryllium 4, 176
**Microscopic** diffusion of interstitial solutions with allowance for long-range interaction. Modelling – 4, 26
– , direct electron, observation of carbide formation processes in the martensite of chromium steel 3, 105
**Midrib** in a single martensite crystal. Two types of – 2, 171
**Model,** a dislocation, of the reverse mechanical aftereffect 6, 147
**Modelling** microscopic diffusion of interstitial solutions with allowance for long-range interaction 4, 26
**Molybdenum** after neutron irradiation. Heat activation analysis of the process of plastic deformation of – 2, 142
– and tungsten, Doppler-shifted acoustic cyclotron resonance in – 4, 38
– , some peculiarities of bending deformation and subsequent annealing of single crystals of – 3, 97
– with grain-boundary segregation of nickel. Structural features of boundary regions and their influence on the development of microplastic deformation in – 6, 180
**Mössbauer diffraction** pattern. A group theory approach to the investigation of – . Magnetic structures 2, 1
**Mössbauer spectra** of $^{57}$Fe nuclei and phase transitions in dilute Cr–Fe alloys. Relaxation – 6, 66
**Mössbauer spectrum** of steel U7. The influence of deformation on the superfine structure of the – 4, 174
**Mutual diffusion** coefficients in the Ti–Ni–Co system. Temperature dependence of – 6, 69

**Nature** of formation and geometric characteristics of a weakly-misoriented cellular structure 6, 25
– of magnetic volume phenomena in invar alloys. On the – 3, 185
– of the resistance of martensite to small plastic deformations during tempering under load. On the – 5, 168
– , on the, of the magnetic anisotropy of the rare earth subsystem in intermetallic (R–Co) compounds 3, 49
**Nernst–Ettingshausen effect,** of hot electrons in metals. Non-stationary – 2, 186
**Neutron** diffraction study of intermetallic compounds $Tb_xY_{1-x}Co_5$ 4, 198
– irradiated steel Kh18N10T during strength tests. Structural changes in – 6, 142
– irradiation, heat activation analysis of the process of plastic deformation of molybdenum after – 2, 142
**Nickel** from a gas phase. Concerning the development of voids in iron during diffusion saturation by – 1, 103
– , structural features of boundary regions and their influence on the development of microplastic deformation in molybdenum with grain-boundary segregation of – 6, 180
– , the influence of tensile stress on radiation swelling of – 3, 164
– under argon ion irradiation. Temperature dependence of void formation in – 2, 168
**Niobium** alloys with oxygen. Features of the formation of an oxide phase during low-temperature saturation of – 6, 183
– bicrystals, growth and structure of – 4, 137
– in the temperature range 10–300 K. Lattice heat capacity of – 1, 69
– , vortex pinning in poly- and monocrystalline superconductors of – 2, 52
**Nuclear** gamma resonance investigation of ordering in an equiatomic cobalt–platinum alloy 4, 108
– gamma resonance on impurity atoms $^{57}Fe$ in $Ti_3Al$ compounds 6, 150
– magnetic and ferromagnetic resonances. The nuclear echo phase in the range of coincident – 3, 182
– magnetic resonance in hydrides of lanthanum and neodymium 1, 80
– magnetic resonance line in a metallic plate excited by weakly decaying waves. Shape of – 5, 9
– , the, echo phase in the range of coincident nuclear magnetic and ferromagnetic resonances 3, 182
**Optical** properties of a dysprosium single crystal 4, 77
**Ordering** alloys of the Pd–Fe and Pd–Fe–Au systems. Electrical and magnetic properties of – 3, 65
– at dislocations. On a possible connection between the temperature step on the dislocation resistivity of metals and magnetic – 1, 24
– , atomic, and embrittlement of iron–cobalt alloys 3, 142
– develops internally. II. Decomposition in the surface layer of alloys in which – 1, 7
– in an equiatomic cobalt–platinum alloy. Nuclear gamma resonance investigation of – 4, 108
– kinetics and structural changes during annealing of a deformed NiPt alloy 4, 96
**Order–order** phase transitions in orthorhombic crystals with non-uniform exchange-relativistic interaction. Equilibrium states and magnetic – 1, 171

**Oscillations,** quantum, of the recharge current of a capacitor in a magnetic field **3,** 6
**Oxygen,** features of the formation of an oxide phase during low-temperature saturation of niobium alloys with – **6,** 183

**Palladium,** recovery of mechanical and physical properties of hydrogen phase hardened – **2,** 149
**Parameters** of an inhibitor phase in alloy Fe–3% Si. Influence of grain boundary migration on the – **3,** 85
**Particles,** dispersed oxide, yield point of polycrystalline copper containing – **1,** 144
– of phase $ScAl_3$ in an Al–Mg–Sc alloy. Determination of elastic strain of the matrix due to – **1,** 189
**Peculiarities** of the magnetocaloric effect in single crystal $Tb_{0.78}Gd_{0.22}$ **3,** 69
– , some, of bending deformation and subsequent annealing of single crystals of molybdenum **3,** 97
**Permalloy film,** domain structure and remagnetization of narrow strips of – **1,** 58
**Phase,** inhibitor, in alloy Fe–3% Si. Influence of grain boundary migration on the parameters of an – **3,** 85
– , $\beta$, in titanium alloy VT23. Decomposed of undercooled – **5,** 152
– $Nb_3SnH_x$ of variable composition. Magnetic susceptibility and superconductive transition point of – **3,** 36
– transformation, structure changes in irradiated alloy $Fe_3Al$ during – **5,** 163
– transformations during heat treatment of permanent $Sm(Co, Cu, Fe)_7$ magnets. Features of – **5,** 97
– transformations in austenitic steels and range of coefficient of stress intensity. Connection between – **3,** 80
– transformations of nickel–molybdenum steels during heating. Strengthening and – **2,** 89
– transitions in dilute Cr–Fe alloys. Relaxation Mössbauer spectra of $^{57}Fe$ nuclei and – **6,** 66
– transitions, use of the concept of an induced representation in the symmetry analysis of – **6,** 6
**Phases,** silicide, in the niobium–silicon system. Field-emission study of the formation and decomposition of – **3,** 73
**Phosphorus** during tempering. Electron spectroscopy investigation of the effect of stresses on grain boundary segregation of – **2,** 105
**Plastic** deformations during tempering under load. On the nature of the resistance of martensite to small – **5,** 168
– deformation of f.c.c. and h.c.p. metals. Computer modelling of texture formation in – **4,** 183
– deformation of molybdenum after neutron irradiation. Heat activation analysis of the process of – **2,** 142
– deformation of packet martensite. Development of – . Medium carbon steel **6,** 118
– rotations in crystals during deformation. Theory of – **1,** 13
**Plasticity** of titanium alloys under hydrostatic pressure. Influence of deformation conditions on texture formation and – **2,** 146

**Point** defects, the amplitude-dependent absorption of ultrasond and the interaction of a dislocation with – 2, 16
– defects from the change in size of dislocation loops. Determination of the type and quantity of – 6, 171
– defect trapping by vacancy voids in $\gamma$ Fe. Machine modelling calculation of the efficiency of – 6, 16
**Polycrystal** with boundaries of differing mobility. Grain growth in a – 2, 179
**Polycrystalline** copper containing dispersed oxide particles. Yield point of – 1, 144
– foil of plastic metal. Kinetics of thermal fluctuation growth of a major crack in a – 3, 123
**Polygonization** in aluminium deformed by bending. Small-angle X-ray scattering investigation of – 4, 190
– of titanium $\alpha$-alloys. Stacking fault energy and texture changes during – 4, 187
**Porosity** and failure during superplastic flow of alloy Al–4 wt.% Cu. Development of – 6, 130
**Potential** approximation, calculation of magnetic moments in Fe–Co–Ni systems in the coherent – 2, 188
**Potentials** of rare earth metals. On the problem of interpretation of $N_{4,5}$ spectra of appearance – 4, 171
**Powders**. Fe and Ni, magnetic properties of textured single domain – 2 68
– of Gd–Co alloys after refinement resulting in amorphism. Variation of the magnetic properties of – 5, 90
**Precipitation** of excess phases during ageing of deformed austenitic steel 13Kh18N10G3S2M2 3, 187
– processes in titanium alloy VT30. Investigation of second phase – 3, 157
**Properties,** mechanical and physical, of hydrogen phase hardened palladium. Recovery of – 2, 149
– of a ferromagnet with strong magnetostriction. On the – 3, 1
– of copper–aluminium–zinc alloys. The influence of heat treatment on the martensitic transformation and – 3, 166
– of high-purity steel. Influence of high-temperature thermomechanical treatment on the – 5, 188
**Pseudopotential** and phonon resistivity of lithium with b.c.c. and f.c.c. structures 6, 144
– calculation of thermal expansion in alkali metals 3, 179
**Pulsating** magnetic field on the martensitic transformation in alloy Kh5N20. Influence of thermal stabilization of austenite and a – 4, 125

**Quantizing** magnetic field. Influence of the Kondo effect on transverse magnetoresistance of metals and semiconductors with magnetic impurities in a – 2, 25
**Quantum** oscillations of elastic moduli and velocity of sound in metals. Low-temperature – 2, 12
– oscillations of the recharge current of a capacitor in a magnetic field 3, 6
**Quench**-hardening effects for solutions of calcium and barium in ammonia 2, 159
**Quenched** high-nickel steel. Features of the first stage of decomposition of the martensite of a – 3, 194

**Radiation** swelling of nickel. The influence of tensile stress on – 3, 164

**Random** potential of a domain wall on magnetic hysteresis. Influence of the form of the – . I. Highly localized centres of pinning **6,** 158
**Range** of coefficient of stress intensity. Connection between phase transformations in austenitic steels and – **3,** 80
**Rare-earth** compounds, influence of the 3*d* element on magnitude of magnetoelastic interaction in – . Investigation of the $TbCo_{2-x}Ni_x$ system **6,** 59
– metals, a comparison of the $N_{4,5}$ characteristic loss and absorption spectra of – **4,** 168
– metals, on the problem of interpretation of $N_{4,5}$ spectra on appearance potentials of – **4,** 171
– subsystem in intermetallic (R–Co) compounds. On the nature of the magnetic anisotropy of the – **3,** 49
**Recovery** of mechanical and physical properties of hydrogen phase hardened palladium **2,** 149
**Recrystallization,** dynamic, during high-temperature tensile deformation of single crystals of alloy KhN77TYuR **1,** 135
– , dynamic, of aluminium subjected to ultrasound loading. Grain size after – **3,** 160
– from the melt. Possibility of the isomorphous cooling of pure iron after – **1,** 117
– of copper in a wide temperature range. Kinetics of collective – **5,** 131
– of maraging Fe–Ni steels. The influence of carbon and alloying elements on the – **4,** 141
– of molybdenum-based alloys. On induced – **2,** 79
– , primary, on development of secondary recrystallization and texture formation in alloy Fe–3% Si. Influence of grain size of – **2,** 74
– , secondary, and texture formation in alloy Fe–3% Si. Influence of grain size of primary recrystallization on development of – **2,** 74
**Relation** between creep and swelling in irradiated metals. Concerning the – **4,** 146
**Relaxation** effects of temperature in metals **5,** 182
– Mössbauer spectra of $^{57}Fe$ nuclei and phase transitions in dilute Cr–Fe alloys **6,** 66
– processes on the martensitic transformation of iron–nickel alloys during loading in the elastic range. The influence of – **3,** 154
**Remagnetization** of narrow strips of Permalloy film. Domain structure and – **1,** 58
– of $SmCo_5$ and $Sm_2Co_{17}$ crystal. Investigation of the anisotropy of sudden – **1,** 87
– of thin magnetic films. On the growth mechanisms of edge domains during pulsed – **4,** 195
**Resistance** of martensite to small plastic deformations during tempering under load. On the nature of the – **5,** 168
**Resistivity** and thermal e.m.f. during resonance scattering. Calculation of the dislocation contribution to – **5,** 67
– of lithium with b.c.c. and f.c.c. structures. Pseudopotential and phonon – **6,** 144
– of metals and magnetic ordering at dislocations. On a possible connection between the temperature step on the dislocation – **1,** 24
**Resonance,** electron paramagnetic, investigation of the influence of dislocations on solubility of impurities in a metal **1,** 187
– line in a metallic plate excited by weakly decaying waves. Shape of nuclear magnetic – **5,** 9
– , nuclear magnetic, in hydrides of lanthanum and neodymium **1,** 80

– scattering, calculation of the dislocation contribution to resistivity and thermal e.m.f. during – 5, 67
**Resonances,** nuclear magnetic and ferromagnetic, the nuclear echo phase in the range of coincident – 3, 182
**Rolling,** cold, of Fe–3% Si alloys. Features of texture formation during asymmetric – 5, 159

**Saturation** of niobium alloys with oxygen. Features of the formation of an oxide phase during low-temperature – 6, 183
**Schoenberg effect,** the, in ferromagnetic metals 1, 174
**Self-diffusion** of $^{147}Pm$ in zirconium and niobium carbides 6, 177
**Shears,** localized microscopic, in compressed molybdenum crystals 5, 174
**Silicon** iron, influence of hydrostatic pressure on slip geometry in single crystals of – 2, 112
**Single crystal** $Tb_{0.78}Gd_{0.22}$. Peculiarities of the magnetocaloric effect in – 3, 69
**Single crystals,** dysprosium, optical properties of a – 4, 77
– of alloy KhN77TYuR. Dynamic recrystallization during high-temperature tensile deformation of – 1, 135
– of an austenitic steel strengthened by thermomechanical treatment. Structural mechanism of stress relaxation in – 5, 121
– of compounds $RCo_3$ (R=Ho, Tm). Magnetic properties of – 6, 53
– of $Ho_xY_{1-x}Co_{5+0.5x}$ alloys. Magnetic properties of – 4, 64
– of molybdenum. Some peculiarities of bending deformation and subsequent annealing of – 3, 97
– of silicon iron. Influence of hydrostatic pressure on slip geometry in – 2, 112
– , tin, low-temperature creep of high-purity – 3, 130
**Slip** geometry in single crystals of silicon iron. Influence of hydrostatic pressure on – 2, 112
– traces and formation of cracks in polycrystals of a solid solution of copper–antimony. Development of – 3, 136
**Solid solution,** decomposition of the, during annealing of Fe–Cu alloys after low-temperature electron irradiation 2, 177
– , $\beta$, in the high-duty titanium alloy VT22. Influence of the initial structure on the character of decomposition of the – 4, 119
– of copper–antimony. Development of slip traces and formation of cracks in polycrystals of a – 3, 136
– , supersaturated, in magnesium–samarium alloys. Investigation of the decomposition of a – 2, 96
**Solid solutions,** thermotransport in interstitial – 2, 101
**Solids** at small amplitudes of deformation. Features of the amplitude dependence of dislocation internal friction and defect of the Young's modulus of – 3, 171
**Solutions** of calcium and barium in ammonia. Quench-hardening effects for – 2, 159
– of the Landau–Lifshits equations in a uniaxial ferromagnet. Some exact multidimensional – 4, 15
**Sound** in metals. Low-temperature quantum oscillations of elastic moduli and velocity of – 2, 12
**Spectra,** $N_{4,5}$, of appearance potentials of rare earth metals. On the problem of interpretation of – 4, 171
**Spin** wave approximation. Double exchange and the – 3, 177

– waves in an electron fluid with magnetic impurities 5, 46
**Spin-glass** in $\gamma$-$(Ni_{80-c}Cr_{20})Fe_c$ alloys 3, 41
**Spin-reorientation** transitions in hexagonal ferromagnets. Internal friction during second order – 3, 18
**Statistical** theory of magnetization. Towards a – 4, 21
**Steel,** austenitic, strengthened by thermomechanical treatment. Structural mechanism of stress relaxation in single crystals of an – 5, 121
– , bearing, influence of hydroextrusion on dissolution of cementite during austenitization of – 3, 118
– , chromium, direct electron microscopic observation of carbide formation processes in the martensite of – 3, 105
– , directionally crystallized engineering, mechanical properties and the fracture of – 1, 159
– , dispersion hardening, dependence of time-to-rupture on rate of quasistationary creep of a – 1, 153
– , engineering, influence of HTMT and inherited heat hardening on the structure and properties of – 3, 101
– , high-purity, influence of high-temperature thermomechanical treatment on the properties of – 5, 188
– 13Kh18N1OG3S2M2, precipitation of excess phases during ageing of deformed austenitic – 3, 187
– Kh18N10T during strength tests. Structural changes in neutron-irradiated – 6, 142
– , medium-carbon. Development of plastic deformation of packet martensite. – 6, 114
– , quenched high-nickel, features of the first stage of decomposition of the martensite of a – 3, 194
– , transformer, influence of rapid cooling on the magnetic properties of – 1, 192
– U7, the influence of deformation on the superfine structure of the Mössbauer spectrum of – 4, 174
**Steels,** austenitic, and range of coefficient of stress intensity. Connection between phase transformations in – 3, 80
– , Fe–Ni, the influence of carbon and alloying elements on the recrystallization of maraging – 4, 141
– , high-carbon aluminium, during tempering. Structure transformation of – 1, 109
– , nickel–molybdenum, during heating. Strengthening and phase transformations of – 2, 89
– , strengthening of metastable nickel–molybdenum austenitic, by cycles of $\gamma$–$\alpha$–$\gamma$ transformations during slow heating 1, 98
**Strain,** elastic, of the matrix due to particles of phase $ScAl_3$ in an Al–Mg–Sc alloy. Determination of – 1, 189
**Strength** tests, structural changes in neutron-irradiated steel Kh18N10T during – 6, 142
**Strengthening** and phase transformations of nickel–molybdenum steels during heating 2, 89
– of metastable nickel–molybdenum austenitic steels by cycles of $\gamma$–$\alpha$–$\gamma$ transformations during slow heating 1, 98
**Stress** intensity, connection between phase transformations in austenitic steels and range of coefficient of – 3, 80
– relaxation in single crystals of an austenitic steel strengthened by thermome-

chanical treatment. Structural mechanism of – 5, 121
– , tensile, on radiation swelling of nickel. The influence of – 3, 164
**Stresses** on grain boundary segregation of phosphorus during tempering. Electron spectroscopy investigation of the effect of – 2, 105
– , static and ultrasonic, change in dislocation structure of copper due to the interaction of – 6, 138
**Structural** changes during annealing of a deformed NiPt alloy. Ordering kinetics and – 4, 96
– changes in neutron-irradiated steel Kh18N10T during strength test 6, 142
– features of boundary regions and their influence on the development of microplastic deformation in molybdenum with grain-boundary segregations of nickel 6, 180
– features of Fe–Cr–Co alloys containing 10% Co 6, 175
– mechanism of stress relaxation in single crystals of an austenitic steel strengthened by thermomechanical treatment 5, 121
– transformations during decomposition of a diffusion-saturated Cu–$Al_2O_3$–Cr alloy, Regularities of – 5, 107
**Structure** and magnetic properties of amorphous alloys of the Co–Fe–Si–B system 6, 46
– and magnetic properties of amorphous Co–P films. Influence of heat treatment and irradiation on the – 4, 81
– and mechanical properties of titanium alloy VT3-1. Influence of heat treatment programmes on the fine – 4, 130
– and properties of aluminium–magnesium alloys with high magnesium content after different deformation and heat treatment programmes. Investigation of the – 3, 113
– and properties of engineering steel. Influence of HTMT and inherited heat hardening on the – 3, 101
– $B8_1$ and B31, an interstitial-impurity in alloys with – 4, 7
– changes in irradiated alloy $Fe_3Al$ during phase transformations 5, 163
– of alpha-phase in two-phase titanium alloys 2, 85
– of antiphase boundaries in alloy $Ni_4Mo$. Asymmetric contrast and the – 4, 99
– of Fe–Mn alloys. Kinetics of polymorphic $\gamma \rightarrow \alpha$ transformation and the $\alpha$ phase – 1, 182
– of fractures, X-ray diffraction investigation of the – 6, 110
– of *K*-emission bands of chromium and iron in ruthenium alloys 2, 194
– of niobium bicrystals. Growth and – 4, 137
– of V–Al alloys. Electron microscopic investigation of the – 6, 89
– peculiarities and properties of sintered permanent magnets based on compound $SmCo_5$ 1, 47
– , superfine, of the Mössbauer spectrum of steel U7. The influence of deformation on the – 4, 174
– transformations in CoPd films of equiatomic composition 5, 179
– transformations of high-carbon aluminium steels during tempering 1, 109
**Structures,** the theory of spatially periodic – . Fermi branch of excitation spectrum 5, 17
**Study,** field-emission, of the formation and decomposition of silicide phases in the niobium–silicon system 3, 73
**Superconductive** transition point of phase $Nb_3SnH_x$ of variable composition 3, 36
**Superconductors** of niobium. Vortex pinning in poly- and monocrystalline – 2, 52
– , type-1, mean lifetimes of metastable phases in – 2, 47

**Superferromagnetic** state, influence of the magnetic field on temperature of transition to the – 4, 193
**Surface** atomic diffusion, on the growth kinetics of a carbide phase during – 6, 11
– layer of alloys in which ordering develops internally. II. Decomposition in the – 6, 7
– tension of alloys. A new method of determining the – 4, 114
**Swelling** and creep in irradiated metals. Concerning the relation between – 4, 146
– of nickel, the influence of tensile stress on radiation – 3, 164
**Symmetry** analysis of phase transitions. Use of the concept of an induced representation in the – 6, 6
**System,** Nb–Ge, X-ray diffraction analysis of superconducting films of the – 1, 63
– , niobium–silicon, field-emission study of the formation and decomposition of silicide phases in the – 3, 73
– $TbCo_{2-x}Ni_x$, Influence of the 3*d* element on magnitude of magnetoelastic interaction in rare-earth compounds. Investigation of the – 6, 59
– Ti–Ni–Co, temperature dependence of mutual diffusion coefficients in the – 6, 69
**Systems,** Fe–Co–Ni, in the coherent potential approximation. Calculation of magnetic moments in – 2, 188
– , Pd–Fe and Pd–Fe–Au, electrical and magnetic properties of ordering alloys of the – 3, 65
– with limited solubility. Adsorption thermodynamics on grain boundaries in – 5, 138

**Tantalum** during uniaxial tension. Investigation of deformation and hardening of – 1, 185
**Temperature** dependence of mutual diffusion coefficients in the T–Ni–Co system 6, 69
– dependence of rate of irradiation creep 6, 33
– dependence of void formation in nickel under argon ion irradiation 2, 168
– in metals, relaxation effects of – 5, 182
– of transition to the supermagnetic state. Influence of the magnetic field on – 4, 193
– range 10–300 K. Lattice heat capacity of niobium in the – 1, 69
**Tempering,** electron spectroscopy investigation of the effect of stresses on grain boundary segregation of phosphorus during – 2, 105
– of alloy 10N28 subjected to HTMT. Dilatation effects during – 6, 74
– , structure transformations of high-carbon aluminium steels during – 1, 109
– under load. On the nature of the resistance of martensite to small plastic deformations during – 5, 168
**Tension,** uniaxial, investigation of deformation and hardening of tantalum during – 1, 185
**Tests,** strength, structural changes in neutron-irradiated steel Kh18N10T during – 6, 142
**Texture** changes during polygonization of titanium α-alloys. Stacking fault energy and – 4, 187
– , complex, formation during deformation of b.c.c. metals 3, 91
– formation and plasticity of titanium alloys under hydrostatic pressure. Influence of deformation conditions on – 2, 146
– formation during asymmetric cold rolling of Fe–3% Si alloys. Features of – 5, 159
– formation in alloy Fe–3% Si. Influence of grain size of primary recrystallization on development of secondary recrystallization and – 2, 74
– formation in iron–cobalt alloys with a $\gamma \rightleftarrows \alpha$ transformation 6, 127

– formation in plastic deformation of f.c.c. and h.c.p. metals. Computer modelling of – 4, 183
**Theory,** fluctuations, of antiferromagnets with collectivized electrons 5, 55
– of magnetization, towards a statistical – 4, 21
– of magnetoelastic decay in ferromagnetics. Generalized statistical – 5, 1
– of melting of metals. Towards a – 5, 26
– of plastic rotations in crystals during deformation 1, 13
– , the, of spatially periodic structures. Fermi branch of excitation spectrum 5, 17
**Thermal** expansion in alkali metals. Pseudopotential calculation of – 3, 179
– fluctuation growth of a major crack in a polycrystalline foil of plastic metal. Kinetics of – 3, 123
– stabilization of austenite and a pulsating magnetic field influencing the martensitic transformation in alloy Kh5N20 4, 125
– vibrations of atoms in VC carbide phases. Influence of doping elements on – 1, 91
**Thermomechanical** treatment, structural mechanism of stress relaxation in single crystals of an austenitic steel strengthened by – 5, 121
**Thermotransport** in interstitial solid solutions 2, 101
**Tin** single crystals, low-temperature creep of high-purity – 3, 130
**Titanium** alloys under hydrostatic pressure. Influence of deformation conditions on texture formation and plasicity of – 2, 146
– , commercial, high-temperature internal friction in – 2, 162
– , high, alloy VT22. Dislocation structure after hot deformation of – 2, 118
– , influencing the tendency of maraging steel to delayed fracture 1, 148
– nickelide, influence of low-temperature annealing on martensitic transformation point in – 6, 152
**Transformation,** $\gamma \rightarrow \alpha$, and the $\alpha$ phase structure of Fe–Mn alloys. Kinetics of polymorphic – 1, 182
– , $\gamma \rightleftarrows \alpha$, texture formation in iron–cobalt alloys with a – 6, 127
**Transformations** during slow heating. Strengthening of metastable nickel–molybdenum austenitic steels by cycles of $\gamma$–$\alpha$–$\gamma$ – 1, 98
– , phase, in austenitic steels and range of coefficient of stress intensity. Connection between – 3, 80
– , structure, of high-carbon aluminium steels during tempering 1, 109
**Transition,** first-order structural phase, in paramagnetic compound $YMn_2$ 1, 168
– of amorphous film $Fe_{40}Ni_{40}P_{14}B_6$ (2826) to crystalline state. Change of volume during – 6, 161
– point of phase $Nb_3SnH_x$ of variable composition. Magnetic susceptibility and superconductive – 3, 36
– to superplastic flow. Critical grain size on – 3, 175
– to the superferromagnetic state. Influence of the magnetic field on temperature of – 4, 193
**Transition metals** V, Nb, Ta. High-temperature diffusion mobility of hydrogen in metal–hydrogen compounds based on group V – 1, 130
**Transitions** in $FeGe_2$, magnetic phase 6, 163
– in hexagonal ferromagnets. Internal friction during second order spin-reorientation – 3, 18

**Twin** boundaries in f.c.c. polycrystals. Interaction of annealing – **1,** 178
**Two-phase** ($\gamma+\varepsilon$) alloy of the type G20. Investigation of features of heat deformation of – **4,** 160
**Tungsten** and molybdenum, Doppler-shifted acoustic cyclotron resonance in – **4,** 38

**Ultrasonic** loading, grain size after dynamic recrystallization of aluminium subjected to – **3,** 160
**Ultrasound,** the amplitude-dependent absorption of, and the interaction of a dislocation with point defects **2,** 16

**Vacancies** in phases of decomposed alloys. Equilibrium concentration of – **6,** 135
**Vacancy** voids in $\gamma$ Fe. Machine modelling calculation of the efficiency of point defect trapping by – **6,** 16
**Vanadium,** Green's function method of calculating normalized wave functions applied to – **2,** 6
**Vibrations** of atoms in VC based carbides phases. Influence of doping elements on thermal – **1,** 91
**Void** formation in nickel under argon ion irradiation. Temperature dependence of – **2,** 168
**Voids** in iron during diffusion saturation by nickel from a gas phase. Concerning the development of – **1,** 103
**Vortex** pinning in poly- and monocrystalline superconductors of niobium **2,** 52

**Wave** functions applied to vanadium. Green's function method of calculating normalized – **2,** 6
**Waves,** shape of nuclear magnetic resonance line in a metallic plate excited by weakly decaying – **5,** 9
**Whipple model** and Fisher model of boundary diffusion. Comparative analysis of the – **5,** 79
**Work** function of intermetallides. Concerning the influence of chemical composition on the value of the – **1,** 84

**X-ray** diffraction analysis of superconducting films of the Nb–Ge system **1,** 63
– diffraction investigation of the structure of fractures **6,** 110

**Young's modulus** of solids at small amplitudes of deformation. Features of the amplitudes dependence of dislocation internal friction and defect of the – **3,** 171

# AUTHOR INDEX

*Bold figures indicate the issue*


**Adamesku, R. A.** *See* **Bratchikov, Yu. S., Adamesku, R. A.** and **Gel'd, P. V.** **4,** 187

**Adamesku, R. A.** *See* **Dekun, A. M., Kushakevich, S. A., Adamesku, R. A., Khmelinin, Yu. F., Beresnev, B. I.** and **Shishmintsev, V. F.** **2,** 146

**Adamesku, R. A.** *See* **Yushkov, V. I., Shimov, V. V., Adamesku, R. A., Znamenskiy, V. I.** and **Shekhter, Ya. A.** **1,** 185

**Aleksandrov, I. V.** and **Kaybyshev, O. A.** Computer modelling on texture formation in plastic deformation of f.c.c. and h.c.p. metals **4,** 183

**Aleksandrov, S. I., Soboleva, Ye. N.** and **Yaroshevich, V. D.** Heat activation analysis of the process of plastic deformation of molybdenum after neutron irradiation **2,** 142

**Aleksandrovich, V. L., Fradkov, V. Ye.** and **Shvindlerman, L. S.** Adsorption thermodynamics on grain boundaries in systems with limited solubility **5,** 138

**Al'tman, V. A.** *See* **Pashkov, P. P., Al'tman, V. A., Granovskiy, Ye. B.** and **Malakhov, G. V.** **1,** 47

**Andreyenko, A. S.** *See* **Tylalayeva, Ye. V., Chernikova, L. A., Nikitin, S. A., Ivanova, T. I.** and **Andreyenko, A. S.** **3,** 69

**Andreyev, L. A., Kalashnikova, Ye. A.** and **Tomilin, I. A.** Hydrogen absorption in amorphous alloy $Co_{71}Fe_5Si_{15}B_9$ **3,** 169

**Andreyeva, A. V.** *See* **Sein, V. A., Andreyeva, A. V.** and **Milyayev, I. M.** **6,** 175

**Anisimov, V. I.** *See* **Postnikov, A. V., Anisimov, V. I.** and **Gubanov, V. A.** **2,** 36

**Anisimov, V. I.** *See* **Postnikov, A. V., Gubanov, V. A., Kurmayev, E. Z.** and **Anisimov, V. I.** **3,** 24

**Anisimova, L. I.** *See* **Popov, A. A., Anisimova, L. I.** and **Beloglazov, V. A.** **3,** 157

**Arbuzov, M. P., Pavlyukov, A. A.** and **Boroday, N. G.** Feature on phase transformations during heat treatment of permanent $Sm(Co, Cu, Fe)_7$ magnets **5,** 97

**Arkovenko, V. P.** *See* **Fedorov, G. B., Nikolayev, V. A., Zhukov, V. P., Arkovenko, V. P.** and **Braun, A. G.** **2,** 177

**Artem'ev, Ye. M., Komalov, A. S.** and **Vershinina, L. I.** Structure transformations in CoPd films of equiatomic composition **5,** 179

**Arzamastseva, G. V., Lisovskiy, F. V., Mansvetova, Ye. G.** and **Filimonova, L. M.** Experimental investigation of magnetization of garnet ferrite films with an inclined compensation surface **3,** 54

**Ashavskiy, B. S., Bokshteyn, B. S.** and **Nikol'skiy, G. S.** A new method of determining the surface tension of alloys **4,** 114

**Atta, A., Blagoveshchenskiy, V. V., Zinenkova, G. M.** and **Tyapunina, N. A.** Dipole structures which form in magnesium during basal slip **2,** 125

**Babushkina, N. A.** *See* **Zhernov, A. P., Babushkina, N. A.** and **Inyushkin, A. V.** **6,** 144

**Badalyan, V. G., Vorontsova, N. N., Kazantsev, V. F.** and **Nazarov, A. V.** Change in

dislocation structure of copper due to the interaction of static and ultrasonic stresses 6, 138
**Bagdinov, V. G.** *See* **Lebedev, S. Ya., Bagdinov, V. G.** and **Surkov, S. Ya.** 3, 164
**Bakharev, S. A.** *See* **Kuznetsova, R. I., Poyda, V. P., Letyago, L. M.** and **Bakharev, S. A.** 6, 130
**Bakhteyeva, N. D., Vinogradova, N. I., Levit, V. I., Smirnov, L. V.** and **Filippov, Yu. I.** Dynamic recrystallization during high-temperature tensile deformation of single crystals of alloy KhN77TYuR 1, 135
**Balandin, B. N.** and **Sokolov, B. K.** Influence of grain size of primary recrystallization on development of secondary recrystallization and texture formation in alloy Fe–3% Si 2, 74
**Barabanova, Ye. A.** Investigation of the anisotropy of sudden remagnetization of $SmCo_5$ and $Sm_2Co_{17}$ crystals 1, 87
**Baraz, V. P., Koemets, A. R., Pushin, V. G., Rodionov, D. P.** and **Smirnov, L. V.,** Structural mechanism of stress relaxation in single crystals of an austenitic steel strengthened by thermomechanical treatment 5, 121
**Baraz, V. R.** and **Pokachalov, V. V.** Precipitation of excess phases during ageing of deformed austenitic steel 13Kh18N10G3S2M2 3, 187
**Barinov, V. A.** *See* **Sinitsyn, Ye. V., Kodolov, V. V., Yermakov, A. Ye.** and **Barinov, V. A.** 4, 88
**Barinov, V. A.** *See* **Yermakov, A. Ye., Barinov, V. A.** and **Yurchikov, Ye. Ye.** 5, 90
**Bebenin, N. G.** *See* **Vlasov, K. B., Zaynullina, R. I., Bebenin, N. G.** and **Piratinskaya, I. I.** 6, 163
**Belikov, A. M.** and **Makarov, V. V.** Grain size after dynamic recrystallization of aluminium subjected to ultrasonic loading 3, 160
**Beloglazov, V. A.** *See* **Popov, A. A., Anisimova, L. I.** and **Beloglazov, V. A.** 3, 157
**Belozerskiy, G. N.** *See* **Rybin, V. V., Belozerskiy, G. N., Malyshevskiy, V. A., Sosenushkin, Ye. M.** and **Semicheva, T. G.** 5, 142
**Belyakova, M. N.** Localized macroscopic shears in compressed molybdenum crystals 5, 174
**Belyayev, M. Yu.** and **Stepanov, A. P.** Nuclear magnetic resonance in hydrides of lanthanum and neodymium 1, 80
**Beresnev, B. I.** *See* **Dekun, A. M., Kushakevich, S. A., Adamesku, R. A., Khmelinin, Yu. F., Beresnev, B. I.** and **Shishmintsev, V. F.** 2, 146
**Beresnev, B. I.** *See* **Dobromyslov, A. V., Dolgikh, G. V., Taluts, N. I., Shmatov, V. T.** and **Beresnev, B. I.** 2, 112
**Bernshteyn, M. L.** *See* **Spasskiy, M. N., Safronov, S. V., Bernshteyn, M. L., Zaymovskiy, V. A. Samedov,** and **Kemel'man,** 3, 101
**Bersenev, Yu. S.** *See* **Grazhdankina, N. P., Novikov, M. A.** and **Bersenev, Yu. S.** 2, 63
**Berseneva, F. N.** *See* **Kuranov, A. A., Sakhanskaya, I. N.** and **Berseneva, F. N.** 6, 121
**Beylin, V. M.** and **Cherenkov, V. A.** "Kondo" and "spin glass" states in copper–iron alloys 4, 53
**Blagoveshchenskiy, V. V.** *See* **Atta, A., Blagoveshchenskiy, V. V., Zinenkova, G. M.** and **Tyapunina, N. A.** 2, 125
**Blanter, M. S.** Modelling microscopic diffusion of interstitial solutions with allowance for long-range interaction 4, 26
**Bobkova, O. P.** *See* **Gol'dshteyn, Y. Ya., Bobkova, O. P.** and **Nitskaya, S. G.** 3, 85
**Bogatov, A. A.** *See* **Levit, V. I., Smirnov, S. V., Bogatov, A. A., Kolmogorov, V. I., Davydova, L. S., Patrakov, Ye. I.** and **Shalimova, A. V.** 4, 149
**Bokshteyn, B. S.** *See* **Ashavskiy, B. S., Bokshteyn, B. S.** and **Nikol'skiy, G. S.** 4, 114
**Bolotin, G. A.** *See* **Knyazev, Yu. V., Matveyeva, T. A.** and **Bolotin, G. A.** 4, 76

**Bomhammel, K.** *See* **Shmary, V. F., Wolf, G., Bomhammel, K.** and **Padurets, L. N.** 3, 36
**Bondarenko, A. I., Lebedev, S. Ya., Rudnev, S. I.** and **Surkov, S. Ya.** Temperature dependence of void formation in nickel under argon ion irradiation 2, 168
**Borisov, V. T.** *See* **Lyashenko, V. P., Spektor, Ya. I.** and **Borisov, V. T.** 3, 113
**Boroday, N. G.** *See* **Arbuzov, M. P., Pavlyukov, A. A.** and **Boroday, N. G.** 5, 97
**Borodkina, M. M.** and **Orekhova, T. S.** On the mechanism of formation of a cubic texture in materials with f.c.c. lattice 6, 155
**Borovskiy, I. B.** *See* **Komarov, Ye. Ya.** and **Borovskiy, I. B.** 4, 168
**Borovskiy, I. B., Komarov, Ye. Ya., Petrenko, N. M.** and **Tsoy, N. P.** On the problem of interpretation of $N_{4,5}$ spectra of appearance potentials of rare earth metals 4, 171
**Botvina, L. R., Klevtsov, G. V., Kozlov, P. M.** and **Stepanov, G. A.** Connection between phase transformations in austenitic steels and range of coefficient of stress intensity 3, 80
**Boydenko, V. S.** Analytic description of magnetization of isotropic ferromagnets in weak and moderate fields 4, 71
**Bratchikov, Yu. S., Adamesku, R. A.** and **Gel'd, P. V.** Stacking fault energy and texture changes during polygonization of titanium α-alloys 4, 187
**Braun, A. G.** *See* **Fedorov, G. B., Nikolayev, V. A., Zhukov, V. P., Arkovenko, V. P.** and **Braun, A. G.** 2, 177
**Brovkov, V. A.** *See* **Khodorenko, V. N., Nikitina, N. V., Sologubova, T. I.** and **Brovkov, V. A.** 3, 136
**Burkhanov, G. S., Gubchevskiy, V. P., Zlatoustovskiy, D. M., Zemlyanskov, V. A.** and **Ottenberg, Ye. V.** Complex texture formation during deformation of b.c.c. metals 3, 91
**Bushuyeva, G. V.** and **Yakhshaatova, E. M.**, Equilibrium configurations of three-dimensional dislocation nodes in h.c.p. crystals 2, 138
**Buynov, N. N.** *See* **Kaygorodova, L. I., Buynov, N. N.** and **Komarova, M. F.** 3, 113
**Bykov, V. N., Vorob'ev, A. N., Dmitriyev, V. D.** and **Shcherbak, V. I.** Structural changes in neutron-irradiated steel Kh18N10T during strength tests 6, 142
**Bykov, Yu. G.** *See* **Toropova, L. S., Bykov, Yu. G., Lazorenko, V. M.** and **Platov, Yu. M.** 1, 189

**Chaykovskiy, B. S.** *See* **Yaroslavskiy, G. Ya., Kondrat'ev, S. Yu., Koval', Yu. N., Musiyenko, R. Ya.** and **Chaykovskiy, B. S.** 3, 166
**Chekanov, M. I.** *See* **Geguzin, Ya. Ye., Kibets, V. I.** and **Chekanov, M. I.** 4, 155
**Cheremskoy, P. G.** *See* **Palatnik, L. S., Shipkova, I. G., Cheremskoy, P. G., Lukashenko, L. I., Tolstolutskaya, G. D., Murovtsev, L. G.** and **Panikarskiy, A. S.** 4, 81
**Cherenkov, V. A.** *See* **Beylin, V. M.** and **Cherenkov, V. A.** 4, 53
**Chernikova, L. A.** *See* **Talalayeva, Ye. V., Chernikova, L. A., Nikitin, S. A., Ivanova, T. I.** and **Andreyenko, A. S.** 3, 69
**Chistyakov, Yu. D.** *See* **Pugachevich, V. P., Chistyakov, Yu. D.** and **Timoshenkov, S. P.** 3, 73
**Chuyev, V. V.** *See* **Pirogov, A. N., Dvinyaninov, V. N., Kelarev, V. V., Chuyev, V. V.** and **Sidorov, S. K.** 4, 198

**Daneliya, Ye. P., Doperchuk, M. I.** and **Pazyuk, I. P.** Regularities of structural transformations during decomposition of a diffusion-saturated $Cu–Al_2O_3–Cr$ alloy 5, 107
**Daneliya, Ye. P., Teplitskiy, M. D.** and **Solopov, V. I.** Yield point of polycrystalline copper containing dispersed oxide particles 1, 144
**Danil'chenko, V. Ye.** and **Okhrimenko, V. A.** Features of the first stage of decomposition

of the martensite of a quenched high-nickel steel 3, 194
**Datsko, O. I.** *See* **Varyukhin, V. N., Golubenko, T. I.** and **Datsko, O. I.** 3, 18
**Davydov, S. Yu.** and **Margolin, V. I.** Pseudopotential calculation of thermal expansion in alkali metals 3, 179
**Davydova, L. S.** *See* **Levit, V. I., Smirnov, S. V., Bogatov, A. A., Kolmogorov, V. L., Davydova, L. S., Petrakov, Ye. I.** and **Shalimova, A. V.** 4, 149
**Dekun, A. M., Kushakevich, S. A., Adamesku, R. A., Khmelinin, Yu. F., Beresnev, B. I.** and **Shishmintsev, V. F.** Influence of deformation conditions on texture formation and plasticity of titanium alloys under hydrostatic pressure 2, 146
**Demidenko, V. S.** *See* **Kal'yanov, A. P., Demidenko, V. S.** and **Panin, V. Ye.** 2, 188
**Demikhovskaya, N. N.** and **Kurov, I. Ye.** Small-angle X-ray scattering investigation of polygonization in aluminium deformed by bending 4, 190
**Deryabin, A. V.** and **Rimlyand, V. I.** On the nature of magnetic volume phenomena in invar alloys 3, 185
**Deryagin, A. V., Kudrevatykh, N. V.** and **Moskalev, V. N.** On the nature of the magnetic anisotropy of the rare earth subsystem in intermetallic (R–Co) compounds 3, 49
**Deryagin, A. V.** *See* **Moskalev, V. N., Deryagin, A. V., Kudrevatykh, N. V.** and **Terent'ev, S. V.** 1, 54
**Dmitriyev, V. D.** *See* **Bykov, V. N., Vorob'ev, A. N., Dmitriyev, V. D.** and **Shcherbak, V. I.** 6, 142
**Dobromyslov, A. V., Dolgikh, G. V., Taluts, N. I., Shmatov, V. T.** and **Beresnev, B. I.** Influence of hydrostatic pressure on slip geometry in single crystals of silicon iron 2, 112
**Dobrovolskiy, V. Ye., Trunin, I. I.** and **Roshchupkin, A. D.** Dependence of time-to-rupture on rate of quasistationary creep of a dispersion hardening steel 1, 153
**Dolgikh, G. V.** *See* **Dobromyslov, A. V., Dolgikh, G. V., Taluts, N. I., Shmatov, V. T.** and **Beresnev, B. I.** 2, 112
**Dolinin, F. I.** and **Pamyatnykh, Ye. A.** Quantum oscillations of the recharge current of a capacitor in a magnetic field 3, 6
**Dolinin, F. I.** and **Pamyatnykh, Ye. A.** The Schoenberg effect in ferromagnetic metals 1, 174
**Doperchuk, M. I.** *See* **Daneliya, Ye. P., Doperchuk, M. I.** and **Pazyuk, I. P.** 5, 107
**Dorofeyeva, Ye. A.** and **Prokoshin, A. F.** On the formation of magnetic anisotropy and a domain structure in amorphous metallic alloys 5, 100
**Drachinskiy, A. S., Kraynikov, A. V.** and **Trefilov, V. I.** Some features of equilibrium segregation in refractory metals of group VIA 6, 84
**Dubinko, S. V., Mitsay, Yu. N., Pukhov, I. K.** and **Shakhova, N. V.** Investigation of influence of the inclination of the easy axis of magnetization on the parameters of cylindrical magnetic domains 1, 74
**Dubovtsev, R. M., Zotov, V. S.** and **Miroshnichenko, T. I.** Diffusion and heat transport of carbon in polycrystalline lanthanum 6, 78
**Dvinyaninov, V. N.** *See* **Pirogov, A. N., Dvinyaninov, V. N., Kelarev, V. V., Chuyev, V. V.** and **Sidorov, S. K.** 4, 198
**D'yachuk, P. P.** *See* **Ivanov, A. A.** and **D'yachuk, P. P.** 6, 158
**Dyakin, V. V.** *See* **Karpenko, B. V.** and **Dyakin, V. V.** 3, 177
**D'yakova, M. A.** *See* **Yelkina, O. A., D'yakova, M. A., Lerinman, R. M., Sudareva, S. V.** and **Smirnova, L. L.** 5, 152
**Dzhavadov, D. M.** and **Tyapkin, Yu. D.** Magnetic properties and fine crystal structure

of Fe–Co alloys with additions of vanadium chromium 5, 84

**Estrin, E. I.** *See* **Moiseyeva, M. N., Moiseyev, A. N.** and **Estrin, E. I.** 1, 182
**Eterashvili, T. V.** and **Spasskiy, M. N.** Development of plastic deformation of packet martensite. Medium-carbon steel 6, 114

**Farzan, T. O.** *See* **Garifullin, I. A.** and **Farzan, T. O.** 1, 187
**Fedorov, G. B., Nikolayev, V. A., Zhukov, V. P., Arkovenko, V. P.** and **Braun, A. G.** Decomposition of the solid solution during annealing of Fe–Cu alloys after low-temperature electron irradiation 2, 177
**Fedorov, N. V.** *See* **Zlenko, V. Ya., Fedorov, N. V.** and **Fedukina, G. N.** 1, 103
**Fedukina, G. N.** *See* **Zlenko, V. Ya., Fedorov, N. V.** and **Fedukina, G. N.** 1, 103
**Filatov, V. I.** *See* **Smirnov, L. V., Smirnov, M. A., Kut'in, A. B.** and **Filatov, V. I.** 5, 188
**Filimonova, L. M.** *See* **Arzamastseva, G. V., Lisovskiy, F. V., Mansvetova, Ye. G.** and **Filimonova, L. M.** 3, 54
**Fillipov, G. A., Sarrak, V. I., Perkas, M. D.** and **Motrenko, V. F.** Influence of titanium on the tendency of maraging steel to delayed fracture 1, 148
**Filippov, M. A.** *See* **Khadyyev, M. S., Nemirovskiy, Yu. R.** and **Filippov, M. A.** 4, 160
**Filippov, Yu. I.** *See* **Bakhteyeva, N. D., Vinogradova, N. I., Levit, V. I., Smirnov, L. V.** and **Filippov, Yu. I.** 1, 135
**Filippova, N. P.** *See* **Tsurin, V. A., Filippova, N. P.** and **Yermakov, A. Ye.** 4, 108
**Fogel'son, R. L.** Thermotransport in interstitial solid solutions 2, 101
**Fokina, Ye. A.** *See* **Sadovskiy, V. D., Smirnov, L. V., Olesov, V. N.** and **Fokina, Ye. A.** 4, 125
**Fradkov, V. Ye.** *See* **Aleksandrovich, V. L., Fradkov, V. Ye.** and **Shvindlerman, L. S.** 5, 138
**Frolova, N. Yu.** *See* **Zel'dovich, V. I., Zabil'skiy, V. V.** and **Frolova, N. Yu.** 6, 74

**Garifullin, I. A.** and **Farzan, T. O.** Electron paramagnetic resonance investigation on the influence of dislocations on solubility of impurities in a metal 1, 187
**Gavrilyuk, V. G.** and **Nadutov, V. M.** Influence of carbon on the atomic bond in Fe–Ni–C austenite 5, 114
**Gaydukov, M. G., Rodionov, D. P., Smirnov, L. V.** and **Shcherbakova, N. M.** Mechanical properties and the fracture of directionally crystallized engineering steel 1, 159
**Gaydukova, I. Yu.** and **Markosyan, A. S.** First-order structural phase transition in paramagnetic compound $YMn_2$ 1, 168
**Geguzin, Ya. Ye., Kaganovskiy, Yu. S.** and **Paritskaya, L. N.** "Cold" homogenization during interdiffusion in dispersed media 1, 124
**Geguzin, Ya. Ye., Kibets, V. I.** and **Chekanov, M. I.** Dislocation elasticity of metallic coils 4, 155
**Gel'd, P. V.** *See* **Bratchikov, Yu. S., Adamesku, R. A.** and **Gel'd, P. V.** 4, 187
**Georgiyev, M. N.** and **Strok, L. P.** X-ray diffraction investigation of the structure of fractures 6, 110
**Gladyshev, V. A.** and **Koryakov, V. P.** Some peculiarities of bending deformation and subsequent annealing of single crystals of molybdenum 3, 97
**Glebovskiy, V. G., Lomeyko, V. V., Moskvin, S. I., Semenov, V. N.** and **Vinnikov, L. Ya.** Growth and structure of niobium bicrystals 4, 137

**Glebovskiy, V. G.** *See* **Vinnikov, L. Ya., Glebovskiy, V. G., Yermolova, I. V.** and **Moskvin, S. I.** 2, 52
**Gol'dshteyn, V. Ya., Bobkova, O. P.** and **Nitskaya, S. G.** Influence of grain boundary migration on the parameters of an inhibitor phase in alloy Fe–3% Si 3, 85
**Gol'dshteyn, V. Ya.** *See* **Petrova, T. A., Gol'dshteyn, V. Ya.** and **Sokolov, B. K.** 5, 159
**Golovashkin, A. I., Martovitskiy, V. P., Pechen', Ye. V.** and **Rodin, V. V.** X-ray diffraction analysis of superconducting films of the Nb–Ge system 1, 63
**Gol'tsov, V. A., Kirillov, V. A., Karnaukh, O. I., Volynskaya, V. G.** and **Gorban', S. V.** Recovery of mechanical and physical properties of hydrogen phase hardened palladium 2, 149
**Golubenko, T. I.** *See* **Varyukhin, V. N., Golubenko, T. I.** and **Datsko, O. I.** 3, 18
**Golubov, S. I.** and **Kaipetskaya, Ye. N.** Machine modelling calculation of the efficiency of point defect trapping by vacancy voids in $\gamma$ Fe 6, 16
**Gorban', S. V.** *See* **Gol'tsov, V. A., Kirillov, V. A., Karnaukh, O. I., Volynskaya, V. G.** and **Gorban', S. V.** 2, 149
**Gorskiy, P. V.** and **Nitsovich, V. M.** Diamagnetism of conduction electrons in thin films of metal-containing layered compounds 6, 39
**Granovskiy, A. B., Rukman, G. I.** and **Stepanov, B. M.** Non-stationary Nernst–Ettingshausen effect of hot electrons in metals 2, 186
**Granovskiy, Ye. B.** *See* **Pashkov, P. P., Al'tman, V. A., Granovskiy, Ye. B.** and **Malakhov, G. V.** 1, 47
**Grazhdankina, N. P., Novikov, M. A.** and **Bersenev, Yu. S.** Dilatometric investigations of spontaneous magnetostriction of manganese–antimony alloys 2, 63
**Grebennikov, V. I., Prokop'ev, Yu. I., Sokolov, O. B.** and **Turov, Ye. A.** Fluctuation theory of antiferromagnets with collectivized electrons 5, 55
**Gridnev, V. N., Ivasishin, O. M.** and **Svechnikov, V. L.** Structure of alpha-phase in two-phase titanium alloys 2, 85
**Gridnev, V. N.** and **Kushnareva, N. P.** High-temperature internal friction in commecrial titanium 2, 162
**Grin', Yu. N.** *See* **Romaka, V. A., Grin', Yu. N., Yarmolyuk, Ya. P., Zarechnyuk, O. S.** and **Skolozdra, R. V.** 4, 58
**Grishkov, V. N.** *See* **Lotkov, A. I., Grishkov, V. N., Udovenko, V. A.** and **Kuznetsov, A. V.** 6, 152
**Gryzunov, V. I., Sagyndykov, A. S.** and **Sokolovskaya, Ye. M.** Temperature dependence of mutual diffusion coefficients in the Ti–Ni–Co system 6, 69
**Gubanov, V. A.** *See* **Postnikov, A. V., Anisimov, V. I.** and **Gubanov, V. A.** 2, 36
**Gubanov, V. A.** *See* **Postnikov, A. V., Gubanov, V. A., Kurmayev, E. Z.** and **Anisimov, V. I.** 3, 24
**Gubchevskiy, V. P.** *See* **Burkhanov, G. S., Gubchevskiy, V. P., Zlatoustovskiy, D. M., Zemlyanskov, V. A.** and **Ottenberg, Ye. V.** 3, 91
**Gumen, N. M.** *See* **Letyago, V. A.** and **Gumen, N. M.** 5, 182
**Gurin, O. V.** and **Irkhin, V. Yu.** Use of the concept of an induced representation in the symmetry analysis of phase transitions 6, 6
**Gurov, K. P.** and **Kondrat'ev, V. V.** On the growth kinetics of a carbide phase during surface atomic diffusion 6, 11

**Ibragimov, Sh. Sh., Melikhov, V. D.** and **Skakov, M. K.** Structure changes in irradiated

alloy $Fe_3Al$ during phase treansformations 5, 163
**Inyushkin, A. V.** *See* **Zhernov, A. P., Babushkina, N. A.** and **Inyushkin, A. V.** 6, 144
**Irkhin, V. Yu.** *See* **Gurin, O. V.** and **Irkhin, V. Yu.** 6, 6
**Ivanov, A. A.** and **D'yachuk, P. P.** A note on the paper "Influence of the form of the random potential of a domain wall on magnetic hysteresis. I. Highly localized centres of pinning" 6, 158
**Ivanov, A. N.** and **Kryukova, L. M.** Influence of alloying of α-Fe on dissociation of dislocations 2, 154
**Ivanov, O. A., Zvereva, V. I., Kostromitin, A. L.** and **Lepalovskiy, V. N.** Magnetic properties of textured single-domain Fe and Ni powders 2, 68
**Ivanov, V. K.** Quench-hardening effects for solutions of calcium and barium in ammonia 2, 159
**Ivanova, T. I.** *See* **Talalayeva, Ye. V., Chernikova, L. A., Nikitin, S. A., Ivanova, T. I.** and **Andreyenko, A. S.** 3, 89
**Ivantsov, I. G.** *See* **Vertkov, A. V. Ivantsov I. G. Karpov Ye. A., Papirov I. I.** and **Tikhinskiy, G. F.** 4 176
**Ivasishin O. M.** *See* **Gridnev V. N. Ivasishin O. N.** and **Svechnikov, V. L.** 2, 85
**Izotov, V. I.** Two types of midrib in a single martensite crystal 2, 171

**Kaganovskiy, Yu. S.** *See* **Geguzin, Ya. Ye., Kaganovskiy, Yu. S.** and **Paritskaya, L. N.** 1, 124
**Kaipetskaya, Ye. N.** *See* **Golubov, S. I.** and **Kaipetskaya, Ye. N.** 6, 16
**Kalashnikova, Ye. A.** *See* **Andreyev, L. A., Kalashnikova, Ye. A.** and **Tomilin, I. A.** 3, 169
**Kaletina, Yu. V., Polyakova, A. M.** and **Sadovskiy, V. D.** The influence of carbon and alloying elements on the recrystallization of maraging Fe–Ni steels 4, 141
**Kal'yanov, A. P., Demidenko, V. S.** and **Panin, V. Ye.** Calculation of magnetic moments in Fe–Co–Ni systems in the coherent potential approximation 2, 188
**Karakishev, S. D., Litvinov, V. S.** and **Poptsov, M. Ye.** The influence of deformation on the superfine structure of the Mössbauer spectrum of steel U7 4, 174
**Karnaukh, O. I.** *See* **Gol'tsov, V. A., Kirillov, V. A., Karnaugh, O. I., Volynskaya, V. G.** and **Gorban', S. V.** 2, 149
**Karolik, A. S.** *See* **Lukhvich, A. A.** and **Karolik, A. S.** 5, 67
**Karpenko, B. V.** and **Dyakin, V. V.** Double exchange and the spin wave approximation 3, 177
**Karpov, Ye. A.** *See* **Vertkov, A. V., Ivantsov, I. G., Karpov, Ye. A. Papirov, I. I.** and **Tikhinskiy, G. F.** 4, 176
**Karpov, Ye. S.** *See* **Papirov, I. I., Karpov, Ye. S., Palatnik, M. I.** and **Mileshkin, M. B.** 3, 149
**Kataya, G. K.** *See* **Trenogina, T. L., Zvereva, Z. F., Kataya, G. K., Meshchaninova, L. S., Lerinman, R. M., Vozilkin, V. A.** and **Teytel', Ye. I.** 4, 130
**Katsnel'son, M. I.** Coupled state of a "surplus" electron and spin wave in a ferromagnetic chain 2, 174
**Kaybyshev, O. A.** *See* **Aleksandrov, I. V.** and **Kaybyshev, O. A.** 4, 183
**Kaybyshev, O. A.** *See* **Valiyev, R. Z., Yemaletdinov, A. K.** and **Kaybyshev, O. A.** 3, 175
**Kaygorodova, L. I., Buynov, N. N.** and **Komarova, M. F.** Investigation of the structure and properties of aluminium–magnesium alloys with high magnesium content after different deformation and heat treatment programmes 3, 113
**Kazakov, V. G.** and **Korychev, D. V.** Magnetic structure of films with low-coercivity channels 5, 167
**Kazakovtseva, V. A.** and **Usikov, M. P.** Direct electron microscopic observation of

carbide formation processes in the martensite of chromium steel 3, 105
**Kazantsev, V. F.** *See* **Badalyan, V. G., Vorontsova, N. N., Kazantsev, V. F.** and **Nazarov, A. V.** 6, 138
**Kelarev, V. V.** *See* **Pirogov, A. N., Dvinyaninov, V. N., Kelarev, V. V., Chuyev, V. V.** and **Sidorov, S. K.** 4, 198
**Kemel'man, M. N.** *See* **Spasskiy, M. N., Safronov, S. V., Bernshteyn, M. L., Zaymovskiy, V. A., Samedov, S. V.** and **Kemel'man, M. N.** 3, 101
**Khadyyev, M. S., Nemirovskiy, Yu. R.** and **Filippov, M. A.** Investigation of features of heat deformation of two phase ($\gamma+\varepsilon$) alloy of the type G20 4, 160
**Khar'kov, Ye. I.** *See* **Novikov, V. N.** and **Khar'kov, Ye. I.** 6, 161
**Khazanov, S. A.** *See* **Ukraintseva, S. B.** and **Khazanov, S. A.** 6, 127
**Khmelinin, Yu. F.** *See* **Dekun, A. M., Kushakevich, S. A., Adamesku, R. A., Khmelinin, Yu. F., Beresnev, B. I.** and **Shishmintsev, V. F.** 2, 146
**Khodenkov, G. Ye.** Some exact multidimensional solutions of the Landau–Lifshits equations in a uniaxial ferromagnet 4, 15
**Khodorenko, V. N., Nikitina, N. V., Sologubova, T. I.** and **Brovkov, V. A.** Development of slip traces and formation of cracks in polycrystals of a solid solution of copper–antimony 3, 136
**Khodosov, Ye. F., Yeremina, M. I.** and **Prokopenko, A. K.** High-temperature diffusion mobility of hydrogen in metal–hydrogen compounds based on group V transition metals V, Nb, Ta 1, 130
**Khotkevich, V. I.** *See* **Lebedev, V. P.** and **Khotkevich, V. I.** 2, 131
**Khromov, Yu. F., Zhmurov, S. A.** and **Svistunov, D. Ye.** Self-diffusion of $^{147}$Pm in zirconium and niobium carbides 6, 177
**Kibets, V. I.** *See* **Geguzin, Ya. Ye., Kibets, V. I.** and **Chekanov, M. I.** 4, 155
**Kirichenko, G. I.** and **Soldatov, V. P.** Low-temperature creep of high-purity tin single crystals 3, 130
**Kirichenko, V. V.** and **Rozhanskiy, V. N.** Determination of the type and quantity of point defects from the change in size of dislocation loops 6, 173
**Kirillov, V. A.** *See* **Gol'tsov, V. A., Kirillov, V. A., Karnaukh, O. I., Volynskaya, V. G.** and **Gorban', S. V.** 2, 149
**Kiselev, A. V.** *See* **Kurov, I. Ye.** and **Kiselev, A. V.** 4, 179
**Kiseleva, S. F., Pushkareva, G. V., Koneva, N. A.** and **Kozlov, E. V.** Asymmetric contrast and the structure of antiphase boundaries in alloy $Ni_4Mo$ 4, 99
**Klevtsov, G. V.** *See* **Botvina, L. R., Klevtsov, G. V., Kozlov, P. M.** and **Stepanov, G. A.** 3, 80
**Knyazev, A. A.** *See* **Shtremel', M. A., Knyazev, A. A.** and **Libinson, A. G.** 4, 165
**Knyazev Yu. V., Matveyeva, T. A.** and **Bolotin, G. A.** Optical properties of a dysprosium single crystal 4, 76
**Kodolov, V. V.** *See* **Sinitsyn, Ye. V., Kodolov, V. V., Yermakov, A. Ye.** and **Barinov, V. A.** 4, 88
**Koemets, A. R.** *See* **Baraz, V. P., Koemets, A. R., Pushin, V. G., Rodionov, D. P.** and **Smirnov, L. V.** 5, 121
**Kogan, Ye. M.** and **Ustinov, V. V.** Electrical conductivity of thin metal films during small-angle electron-phonon scattering 2, 43
**Kokorin, V. V.** and **Osipenko, I. A.** Influence of the magnetic field on temperature of transition to the superferromagnetic state 4, 193
**Kokorin, V. V., Osipenko, I. A., Plotnyuk, V. V., Zolkina, S. V.** and **Shirina, T. V.**

Change of magnetic state of a collective of dispersed ferromagnetic particles as a function of the interparticle spacing 1, 42
**Kolachev, B. A.** *See* **Mal'kov, A. V., Kolachev, B. A.** and **Mishanova, M. G.** 3, 190
**Kolmogorov, V. L.** *See* **Levit, V. I., Smirnov, S. V., Bogatov, A. A., Kolmogorov, V. L., Davydova, L. S., Patrakov, Ye. I.** and **Shalimova, A. V.** 4, 149
**Kolobov, Yu. R.** *See* **Pochivalov, Yu. I., Kolobov, Yu. R.** and **Korotayev, A. D.** 2, 79
**Kolobov, Yu. R., Pochivalov, Yu. I.** and **Korotayev, A. D.** Structural features of boundary regions and their influence on the development of microplastic deformation in molybdenum with grain-boundary segregations of nickel 6, 180
**Kolobova, K. M.** *See* **Nemnonov, S. A., Kolobova, K. M., Trofimova, V. A.** and **Shabanova, I. N.** 2, 194
**Komalov, A. S.** *See* **Artem'ev, Ye. M., Komalov, A. S.** and **Vershinina, L. I.** 5, 179
**Komarov, Ye. Ya.** and **Borovskiy, I. B.** A comparison of the $N_{4,5}$ characteristic loss and absorption spectra of rare earth metals 4, 168
**Komarov, Ye. Ya.** *See* **Borovskiy, I. B., Komarov, Ye. Ya., Petrenko, N. M.** and **Tsoy, N. P.** 4, 171
**Komarova, M. F.** *See* **Kaygorodova, L. I., Buynov, N. N.** and **Komarova, M. F.** 3, 113
**Kondrat'ev, S. Yu.** *See* **Yaroslavskiy, G. Ya., Kondrat'ev, S. Yu., Koval', Yu. N., Musiyenko, R. Ya.** and **Chaykovskiy, B. S.** 3, 166
**Kondrat'ev, V. V.** *See* **Gurov, K. P.** and **Kondrat'ev, V. V.** 6, 11
**Kondrat'ev, V. V., Romanova, R. R., Ustyugov, Yu. M.** and **Pushin, V. G.** Influence of elastic stresses on step ageing of alloys. Stability of precipitate system in stage of high-temperature ageing 1, 28
**Kondrat'ev, V. V., Ustyugov, Yu. M., Romanova, R. R.** and **Pushin, V. G.** Influence of elastic stresses on step ageing of alloys. Determination of the critical radius of coherent particles 1, 34
**Koneva, N. A.** *See* **Kiseleva, S. F., Pushkareva, G. V., Koneva, N. A.** and **Kozlov, E. V.** 4, 99
**Konoplev, A. M.** and **Sarrak, V. I.** Atomic ordering and embrittlement of iron–cobalt alloys 3, 142
**Korobov, O. S.** *See* **Notkin, A. B., Korobov, O. S., Pertsovskiy, N. Z., Pol'kin, I. S., Semenova, N. M.** and **Smolyakova, L. A.** 4, 119
**Koropty, A. N.** *See* **Makarov, V. A., Puzey, I. M., Koropty, A. N.** and **Sakharova, T. V.** 6, 66
**Korotayev, A. D.** *See* **Kolobov, Yu. R., Pochivalov, Yu. I.** and **Korotayev, A. D.** 6, 180
**Korotayev, A. D.** *See* **Pochivalov, Yu. I., Kolobov, Yu. R.** and **Korotayev, A. D.** 2, 79
**Korotayev, A. D., Tyumentsev, A. N., Pinzhin, Yu. P., Markov, K. A., Minayev, N. G.** and **Safonov, A. A.** Features of the formation of an oxide phase during low-temperature saturation of niobium alloys with oxygen 6, 183
**Koryakov, V. P.** *See* **Gladyshev, V. A.** and **Koryakov, V. P.** 3, 97
**Korychev, D. V.** *See* **Kazakov, V. G.** and **Korychev, D. V.** 6, 167
**Kostromitin, A. L.** *See* **Ivanov, O. A., Zvereva, V. I., Kostromitin, A. L.** and **Lepalovskiy, V. N.** 2, 68
**Kourov, N. I., Tsiovkin, Yu. N.** and **Volkenshteyn, N. V.** Hall effect in alloys $(Pd_xPt_{1-x})_3Fe$ with mixed exchange interaction 4, 47
**Koval', Yu. N.** *See* **Yaroslavskiy, G. Ya., Kondrat'ev, S. Yu., Koval', Yu. N., Musiyenko, R. Ya.** and **Chaykovskiy, B. S.** 3, 166
**Kovalev, A. I.** *See* **Shcherbedinskiy, G. V., Kovalev, A. I.** and **Mishina, V. P.** 2, 105

**Kozlov, E. V.** *See* **Kiseleva, S. F., Pushkareva, G. V., Koneva, N. A.** and **Kozlov, E. V.** 4, 99
**Kozlov, P. M.** *See* **Botvina, L. R., Klevtsov, G. V., Kozlov, P. M.** and **Stepanov, G. A.** 3, 80
**Kraynikov, A. V.** *See* **Drachinskiy, A. V., Kraynikov, A. V.** and **Trefilov, V. I.** 6, 84
**Krysov, V. I.** and **Malyuk, T. I.** Kinetics of collective recrystallization of copper in a wide temperature range 5, 131
**Kryukova, L. M.** *See* **Ivanov, A. N.** and **Kryukova, L. M.** 2, 154
**Kudrevatykh, N. V.** *See* **Deryagin, A. V., Kudrevatykh, N. V.** and **Moskalev, V. N.** 3, 49
**Kudrevatykh, N. V.** *See* **Moskalev, V. N., Deryagin, A. V., Kudrevatykh, N. V.** and **Terent'ev, S. V.** 1, 54
**Kuleyev, I. G.** Influence of the Kondo effect on transverse magnetoresistance of metals and semiconductors with magnetic impurities in a quantizing magnetic field 2, 25
**Kuranov, A. A.** Electrical and magnetic properties of ordering alloys of the Pd–Fe and Pd–Fe–Au systems 3, 65
**Kuranov, A. A., Sakhanskaya, I. N.** and **Berseneva, F. N.** Influence of atomic ordering on the mechanical properties and character of failure in alloy NiPt 6, 121
**Kuranov, A. A., Sakhanskaya, I. N., Teytel', Ye. I.** and **Litvinov, V. S.** Ordering kinetics and structural changes during annealing of a deformed NiPt alloy 4, 96
**Kurbatova, O. L.** *See* **Zaginaychenko, S. Yu., Kurbatova, O. L.** and **Matysina, Z. A.** 4, 7
**Kurmayev, E. Z.** *See* **Postnikov, A. V., Gubanov, V. A., Kurmayev, E. Z.** and **Anisimov, V. I.** 3, 24
**Kurnavina, L. P.** *See* **Orzhitskaya, L. K., Levitin, V. V., Pospelova, L. I.** and **Kurnavina, L. P.** 1, 91
**Kurov, I. Ye.** *See* **Demikhovskaya, N. N.** and **Kurov, I. Ye.** 4, 190
**Kurov, I. Ye.** and **Kiselev, A. V.** Investigation of the mechanism of steady-state creep of aluminium in compression 4, 179
**Kushakevich, S. A.** *See* **Dekun, A. M., Kushakevich, S. A., Adamesku, R. A., Khmelinin, Yu. F., Beresnev, B. I.** and **Shishmintsev, V. F.** 2, 146
**Kushnareva, N. P.** *See* **Gridnev, V. N.** and **Kushnareva, N. P.** 2, 162
**Kut'in, A. B.** *See* **Smirnov, L. V., Smirnov, M. A., Kut'in, A. B.** and **Filatov, V. I.** 5, 188
**Kuz'menko, V. M., Mel'nikov, V. I.** and **Sudovtsov, A. I.** Crystallization of amorphous metals induced by a flow of helium gas at $T \leqslant 4{\cdot}2$ K 2, 165
**Kuz'min, R. N.** *See* **Ovchinnikova, Ye. N.** and **Kuz'min, R. N.** 2, 1
**Kuznetsov, A. V.** *See* **Lotkov, A. I., Grishkov, V. N., Udovenko, V. A.** and **Kuznetsov, A. V.** 6, 152
**Kuznetsova, R. I., Poyda, V. P., Letyago, L. M.** and **Bakharev, S. A.** Development of porosity and failure during superplastic flow of alloy Al–4 wt.% Cu 6, 130

**Lazorenko, V. M.** *See* **Toropova, L. S., Bykov, Yu. G., Lazorenko, V. M.** and **Platov, Yu. M.** 1, 189
**Lebedev, S. Ya., Bagdinov, V. G.** and **Surkov, S. Ya.**, The influence of tensile stress on radiation swelling of nickel 3, 164
**Lebedev, S. Ya.** *See* **Bondarenko, A. I., Lebedev, S. Ya., Rudnev, S. I.** and **Surkov, S. Ya.** 2, 168
**Lebedev, V. P.** and **Khotkevich, V. I.** Influence of electrical pulses on low-temperature (1·7–4·2 K) deformation of aluminium 2, 131
**Leksovskiy, A. M.** and **Orlov, A. N.** Kinetics of thermal fluctuation growth of a major crack in a polycrystalline foil of plastic metal 3, 123

**Lepalovskiy, V. N.** *See* **Ivanov, O. A., Zvereva, V. I., Kostromitin, A. L.** and **Lepalovskiy, V. N.** 2, 68
**Lerinman, R. M.** *See* **Trenogina, T. L., Zvereva, Z. F., Kataya, G. K., Meshchaninova, L. S., Lerinman, R. M., Vozilkin, V. A.** and **Teytel', Ye. I.** 4, 130
**Lerinman, R. M.** *See* **Yelkina, O. A., D'yakova, M. A., Lerinman, R. M., Sudareva, S. V.** and **Smirnova, L. L.** 5, 152
**Letyago, L. M.** *See* **Kuznetsova, R. I., Poyda, V. P., Letyago, L. M.** and **Bakharev, S. A.** 6, 130
**Letyago, V. A.** and **Gumen, N. M.** Relaxation effects of temperature in metals 5, 182
**Levit, V. I.** *See* **Bakhteyeva, N. D., Vinogradova, N. I., Levit, V. I., Smirnov, L. V.** and **Filippov, Yu. I.** 1, 135
**Levit, V. I., Smirnov, S. V., Bogatov, A. A., Kolmogorov, V. L., Davydova, L. S., Patrakov, Ye. I.** and **Shalimova, A. V.** Estimating the damageability of a deformed metal 4, 149
**Levitin, V. V.** *See* **Orzhitskaya, L. K., Levitin, V. V., Pospelova, L. I.** and **Kurnavina, L. P.** 1, 91
**Leyfer, P. N.** *See* **Mitsay, Yu. N.** and **Leyfer, P. N.** 6, 170
**Libinson, A. G.** *See* **Shtremel', M. A., Knyazev, A. A.** and **Libinson, A. G.** 4, 165
**Lisovskiy, F. V.** *See* **Arzamastseva, G. V., Lisovskiy, F. V., Mansvetova, Ye. G.** and **Filimonova, L. M.** 3, 54
**Litvinov, V. S.** *See* **Karakishev, S. D., Litvinov, V. S.** and **Poptsov, M. Ye.** 4, 174
**Litvinov, V. S.** *See* **Kuranov, A. A., Sakhanskaya, I. N., Teytel', Ye. I.** and **Litvinov, V. S.** 4, 96
**Lobachev, M. I.** On the growth mechanisms of edge domains during pulsed remagnetization of thin magnetic films 4, 195
**Lomeyko, V. V.** *See* **Glebovskiy, V. G., Lomeyko, V. V., Moskvin, S. I., Semenov, V. N.** and **Vinnikov, L. Ya.** 4, 137
**Lotkov, A. I., Grishkov, V. N., Udovenko, V. A.** and **Kuznetsov, A. V.** Influence of low-temperature annealing on martensitic transformation point in titanium nickelide 6, 152
**Lukashenko, L. I.** *See* **Palatnik, L. S., Shipkova, I. G., Cheremskoy, P. G., Lukashenko, L. I., Tolstolutskaya, G. D., Murovtsev, L. G.** and **Panikarskiy, A. S.** 4, 81
**Lukhvich, A. A.** and **Karolik, A. S.** Calculation of the dislocation contribution to resistivity and thermal e.m.f. during resonance scattering 5, 67
**Luzhinskaya, M. G.** Magnetization curves and domains of interaction in high-coercivity Fe–Ni–Al–Co alloys 4, 33
**Lyakutkin, A. V.** Possibility of the isomorphous cooling of pure iron after recrystallization from the melt 1, 117
**Lyashenko, V. P., Spektor, Ya. I.** and **Borisov, V. T.** Influence of hydroextrusion on dissolution of cementite during austenitization of bearing steel 3, 118

**Makarov, V. A., Puzey, I. M. Koropty, A. N.** and **Sakharova, T. V.** Relaxation Mössbauer spectra of $^{57}$Fe nuclei and phase transitions in dilute Cr–Fe alloys 6, 66
**Makarov, V. V.** *See* **Belikov, A. M.** and **Makarov, V. V.** 3, 160
**Malakhov, G. V.** *See* **Pashkov, P. P., Al'tman, V. A., Granovskiy, Ye. B.** and **Malakhov, G. V.** 1, 47
**Mal'kov, A. V., Kolachev, B. A.** and **Mishanova, M. G.** The influence of hydrogen on the fracture micromechanism in titanium alloys 3, 190
**Malov, Yu. I.** *See* **Onishchenko, A. V.** and **Malov, Yu. I.** 1, 84
**Malyshev, K. A.** *See* **Teplov, V. A., Malyshev, K. A.** and **Romashev, L. N.** 1, 98
**Malyshev, V. S.** Towards a statistical theory of magnetization 4, 21

**Malyshevskiy, V. A.** *See* **Rybin, V. V., Belozerskiy, G. N., Malyshevskiy, V. A., Sosenushkin, Ye. M.** and **Semicheva, T. G.** 5, 142
**Malyuk, T. I.** *See* **Krysov, V. I.** and **Malyuk, T. I.** 5, 131
**Mansvetova, Ye. G.** *See* **Arzamastseva, G. V., Lisovskiy, F. V., Mansvetova, Ye. G.** and **Filimonova, L. M.** 3, 54
**Margolin, V. I.** *See* **Davydov, S. Yu.** and **Margolin, V. I.** 3, 179
**Markosyan, A. S.** Influence of the 3*d* element on magnitude of magnetoelastic interaction in rare-earth compounds. Investigation of thev $TbCo_{2-x}Ni_x$ system 6, 59
**Markosyan, A. S.** *See* **Gaydukova, I. Yu.** and **Markosyan, A. S.** 1, 168
**Markov, K. A.** *See* **Korotayev, A. D., Tyumentsev, A. N., Pinzhin, Yu. P., Markov, K. A., Minayev, N. G.** and **Safonov, A. A.** 6, 183
**Martovitskiy, V. P.** *See* **Golovashkin, A. I., Martovitskiy, V. P., Pechen', Ye. V.** and **Rodin, V. V.** 1, 63
**Matveyeva, T. A.** *See* **Knyazev, Yu. V., Matveyeva, T. A.** and **Bolotin, G. A.** 4, 76
**Matysina, Z. A.** *See* **Zaginaychenko, S. Yu., Kurbatova, O. L.** and **Matysina, Z. A.** 4, 7
**Mchedlov-Petrosyan, P. O.** *See* **Slezov, V. V. Mchedlov-Petrosyan, P. O.** and **Tanatarov, L. V.** 3, 10
**Medvedev, M. V.** Influence of isostructural nuclei of a new phase on the Curie point of a dilute ferromagnetic alloy 5, 72
**Melikov, V. D.** *See* **Ibragimov, Sh. Sh., Melikhov, V. D.** and **Skakov, M. K.** 5, 163
**Mel'nikov, V. I.** *See* **Kuz'menko, V. M., Mel'nikov, V. I.** and **Sudovtsov, A. I.** 2, 165
**Men'shenin, V. V., Mirsayev, I. F.** and **Taluts, G. G.** Magnetoelastic interactions in disordered ferromagnets 3, 28
**Men'shikov, A. Z., Takzey, G. A.** and **Teplykh, A. Ye.** Spin-glass in $\gamma$-$(Ni_{80-c}Cr_{20})Fe_c$ alloys 3, 41
**Meshchaninova, L. S.** *See* **Trenogina, T. L., Zvereva, Z. F., Kataya, G. K., Meshchaninova, L. S., Lerinman, R. M., Vozilkin, V. A.** and **Teytel', Ye. I.** 4, 130
**Meylanov, R. P.** Spin waves in an electron fluid with magnetic impurities 5, 46
**Mileshkin, M. B.** *See* **Papirov, I. I., Karpov, Ye. S., Palatnik, M. I.** and **Mileshkin, M. B.** 3, 149
**Milyayev, I. M.** *See* **Sein, V. A., Andreyeva, A. V.** and **Milyayev, I. M.** 6, 175
**Minayev, N. G.** *See* **Korotayev, A. D., Tyumentsev, A. N., Pinzhin, Yu. P., Markov, K. A., Minayev, N. G.** and **Safonov, A. A.** 6, 183
**Miroshnichenko, T. I.** *See* **Dubovtsev, R. M., Zotov, V. S.** and **Mirochnichenko, T. I.** 6, 78
**Mirsayev, I. F.** *See* **Men'shenin, V. V., Mirsayev, I. F.** and **Taluts, G. G.** 3, 28
**Mishanova, M. G.** *See* **Mal'kov, A. V., Kolachev, B. A.** and **Mishanova, M. G.** 3, 190
**Mishin, Yu. M.** and **Razumovskiy, I. M.** Comparative analysis of the Fisher and Whipple models of boundary diffusion 5, 79
**Mishina, V. P.** *See* **Shcherbedinskiy, G. V., Kovalev, A. I.** and **Mishina, V. P.** 2, 105
**Mitsay, Yu. N.** *See* **Dubinko, S. V., Mitsay, Yu. N., Pukhov, I. K.** and **Shakhova, N. V.** 1, 74
**Mitsay, Yu. N.** and **Leyfer, P. N.** On the shape of a moving internal magnetic domain 6, 170
**Moiseyev, A. N.** *See* **Moiseyeva, M. N., Moiseyev, A. N.** and **Estrin, E. I.** 1, 182
**Moiseyeva, M. N., Moiseyev, A. N.** and **Estrin, E. I.** Kinetics of polymorphic $\gamma \rightarrow \alpha$ transformation and the $\alpha$ phase structure of Fe–Mn alloys 1, 182
**Molotilov, B. V.** *See* **Vlasova, Ye. N., Molotilov, B. V.** and **Zaytseva, G. A.** 6, 46
**Molotskiy, M. I.** On a possible connection between the temperature step on the dislocation resistivity of metals and magnetic ordering at dislocations 1, 24

**Moskalev, V. N.** *See* **Deryagin, A. V., Kudrevatykh, N. V.** and **Moskalev, V. N.** 3, 49
**Moskalev, V. N., Deryagin, A. V., Kudrevatykh, N. V.** and **Terent'ev, S. V.** Magnetic properties of intermetallic compounds $Dy(Fe–Ga)_2$ 1, 54
**Moskvin, S. I.** *See* **Glebovskiy, V. G., Lomeyko, V. V., Moskvin, S. I., Semenov, V. N.** and **Vinnikov, L. Ya.** 4, 137
**Moskvin, S. I.** *See* **Vinnikov, L. Ya., Glebovskiy, V. G., Yermolova, I. V.** and **Moskvin, S. I.** 2, 52
**Motrenko, V. F.** *See* **Filippov, G. A., Sarrak, V. I., Perkas, M. D.** and **Motrenko, V. F.** 1, 148
**Murovtsev, L. G.** *See* **Palatnik, L. S., Shipkova, I. G., Cheremskoy, P. G., Lukashenko, L. I., Tolstolutskaya, G. D., Murovtsev, L. G.** and **Panikarskiy, A. S.** 4, 81
**Musiyenko, R. Ya.** *See* **Yaroslavakiy, G. Ya., Kondrat'ev, S. Yu., Koval', Yu. N., Musiyenko, R. Ya.** and **Chaykovskiy, B. S.** 3, 166

**Nadutov, V. M.** *See* **Gavrilyuk, V. G.** and **Nadutov, V. M.** 5, 114
**Naimi, Ye. K.** Features of the amplitude dependence of dislocation internal friction and defect of the Young's modulus of solids at small amplitudes of deformation 3, 171
**Nazarov, A. V.** *See* **Badalyan, V. G., Vorontsova, N. N., Kazantsev, V. F.** and **Nazarov, A. V.** 6, 138
**Nemirovskiy, Yu. R.** *See* **Khadyyev, M. S., Nemirovskiy, Yu. R.** and **Filippov, M. A.** 4, 160
**Nemnonov, S. A., Kolobova, K. M., Trofimova, V. A.** and **Shabanova, I. N.** Structure of *K*-emission bands of chromium and iron in ruthenium alloys 2, 194
**Nikitin, S. A.** *See* **Talalayeva, Ye. V., Chernikova, L. A., Nikitin, S. A., Ivanova, T. I.** and **Andreyenko, A. S.** 3, 69
**Nikitina, N. V.** *See* **Khodorenko, V. N., Nikitina, N. V., Sologubova, T. I.** and **Brovkov, V. A.** 3, 136
**Nikolayev, V. A.** *See* **Fedorov, G. B., Nikolayev, V. A., Zhukov, V. P., Arkovenko, V. P.** and **Braun, A. G.** 2, 177
**Nikol'skiy, G. S.** *See* **Ashavskiy, B. S., Bokshteyn, B. S.** and **Nikol'skiy, G. S.** 4, 114
**Nitskaya, S. G.** *See* **Gol'dshteyn, V. Ya., Bobkova, O. P.** and **Nitskaya, S. G.** 3, 85
**Nitsovich, V. M.** *See* **Gorskiy, P. V.** and **Nitsovich, V. M.** 6, 39
**Notkin, A. B., Korobov, O. S., Pertsovskiy, N. Z., Pol'kin, I. S., Semenova, N. M.** and **Smolyakova, L. A.** Influence of the initial structure on the character of decomposition of the $\beta$ solid solution in the high duty titanium alloy VT22 4, 119
**Notkin, A. B., Pertsovskiy, N. Z., Pol'kin, I. S., Semenova, N. M.** and **Yefimova, M. V.** Dislocation structure after hot deformation of high titanium alloy VT22 2, 118
**Novikov, M. A.** *See* **Grazhdankina, N. P., Novikov, M. A.** and **Bersenev, Yu. S.** 2, 63
**Novikov, V. N.** and **Khar'kov, Ye. I.** Change of volume during transition of amorphous film $Fe_{40}Ni_{40}P_{14}B_6$ (2826) to crystalline state 6, 161
**Novoselov, O. V.** *See* **Tsifrinovich, V. I.** and **Novoselov, O. V.** 3, 182

**Okhrimenko, V. A.** *See* **Danil'chenko, V. Ye.** and **Okhrimenko, V. A.** 3, 194
**Okulov, V. I.** *See* **Zimbovskaya, N. A., Okulov, V. I.** and **Pamyatnykh, Ye. A.** 2, 12
**Okulov, V. I.** *See* **Zvezdin, M. K.** and **Okulov, V. I.** 5, 9
**Olemskoy, A. I.** The theory of spatially periodic structures. Fermi branch of excitation spectrum 5, 17
**Olesov, V. N.** *See* **Sadovskiy, V. D., Smirnov, L. V., Olesov, V. N.** and **Fokina, Ye. A.** 4, 125

**Onishchenko, A. V.** and **Malov, Yu. I.** Concerning the influence of chemical composition on the value of the work function of intermetallides **1,** 84
**Orekhova, T. S.** *See* **Borodkina, M. M.** and **Orekhova, T. S.** **6,** 155
**Orlov, A. N.** *See* **Leksovskiy, A. M.** and **Orlov, A. N.** **3,** 123
**Orzhitskaya, L. K., Levitin, V. V., Pospelova, L. I.** and **Kurnavina, L. P.** Influence of doping elements on thermal vibrations of atoms in VC based carbide phases **1,** 91
**Osipenko, I. A.** *See* **Kokorin, V. V.** and **Osipenko, I. A.** **4,** 193
**Osipenko, I. A.** *See* **Kokorin, V. V., Osipenko, I. A., Polotnyuk, V. V., Zolkina, S. V.** and **Shirina, T. V.** **1,** 42
**Ottenberg, Ye. V.** *See* **Burkhanov, G. S., Gubchevskiy, V. P., Zlatoustovskiy, D. M., Zemlyanskov, V. A.** and **Ottenberg, Ye. V.** **3,** 91
**Ovcharenko, V. I.** and **Pervakov, V. A.** Lattice heat capacity of niobium in the temperature range 10–300 K **1,** 69
**Ovchinnikova, Ye. N.** and **Kuz'min, R. N.** A group-theory approach to the investigation of Mössbauer diffraction patterns. Magnetic structures **2,** 1

**Padurets, L. N.** *See* **Shamray, V. F., Wolf, G., Bomhammel, K.** and **Padurets, L. N.** **3,** 36
**Palatnik, L. S., Shipkova, I. G., Cheremskoy, P. G., Lukashenko, L. I., Tolstolutskaya, G. D., Murovtsev, L. G.** and **Panikarskiy, A. S.** Influence of heat treatment and irradiation on the structure and magnetic properties of amorphous Co–P films **4,** 81
**Palatnik, M. I.** *See* **Papirov, I. I., Karpov, Ye. S., Palatnik, M. I.** and **Mileshkin, M. B.** **3,** 149
**Pamyatnykh, Ye. A.** *See* **Dolinin, F. I.** and **Pamyatnykh, Ye. A.** **1,** 174
**Pamyatnykh, Ye. A.** *See* **Dolinin, Fe. I.** and **Pamyatnykh, Ye. A.** **3,** 6
**Pamyatnykh, Ye. A.** *See* **Zimbovskaya, N. A., Okulov, V. I.** and **Pamyatnykh, Ye. A.** **2,** 12
**Panikarskiy, A. S.** *See* **Palatnik, L. S., Shipkova, I. G., Cheremskoy, P. G., Lukashenko, L. I., Tolstolutskaya, G. D., Murovtsev, L. G.** and **Panikarskiy, A. S.** **4,** 81
**Panin, V. Ye.** *See* **Kal'yanov, A. P., Demidenko, V. S.** and **Panin, V. Ye.** **2,** 188
**Papirov, I. I., Karpov, Ye. S., Palatnik, M. I.** and **Mileshkin, M. B.** Disappearance of acoustic emission during superplastic deformation of alloys Zn–0·4% Al and Sn–38% Pb **3,** 149
**Papirov, I. I.** *See* **Vertkov, A. V., Ivantsov, I. G., Karpov, Ye. A., Papirov, I. I.** and **Tikhinskiy, G. F.** **4,** 176
**Paritskaya, L. N.** *See* **Geguzin, Ya. Ye., Kaganovskiy, Yu. S.** and **Paritskaya, L. N.** **1,** 124
**Pashkov, P. P., Al'tman, V. A., Granovskiy, Ye. B.** and **Malakhov, G. V.** Structure peculiarities and properties of sintered permanent magnets based on compound $SmCo_5$ **1,** 47
**Pastushenko, S. N.** *See* **Zelenkov, I. A.** and **Pastushenko, S. N.** **6,** 150
**Patrakov, Ye. I.** *See* **Levit, V. I., Smirnov, S. V., Bogatov, A. A., Kolmogorov, V. L., Davydova, L. S., Patrakov, Ye. I.** and **Shalimova, A. V.** **4,** 149
**Pavlyukov, A. A.** *See* **Arbuzov, M. P., Pavlyukov, A. A.** and **Boroday, N. G.** **5,** 97
**Pazyuk, I. P.** *See* **Daneliya, Ye. P., Doperchuk, M. I.** and **Pazyuk, I. P.** **5,** 107
**Pechen', Ye. V.** *See* **Golovashkin, A. I., Martovitskiy, V. P., Pechen', Ye. V.** and **Rodin, V. V.** **1,** 63
**Perkas, M. D.** *See* **Filippov, G. A., Sarrak, V. I., Perkas, M. D.** and **Motrenko, V. F.** **1,** 148
**Pertsovskiy, N. Z.** *See* **Notkin, A. B., Korbov, O. S., Pertsovskiy, N. Z., Pol'kin, I. S., Semenova, N. M.** and **Smolyakova, L. A.** **4,** 119
**Pertsovskiy, N. Z.** *See* **Notkin, A. B., Pertsovskiy, N. Z., Pol'kin, I. S., Semenova, N. M.** and **Yefimova, M. V.** **2,** 118

**Pervakov, V. A.** *See* **Ovcharenko, V. I.** and **Pervakov, V. A.** 1, 69
**Petrenko, N. M.** *See* **Borovskiy, I. B., Komarov, Ye. Ya., Petrenko, N. M.** and **Tsoy, N. P.** 4, 171
**Petrova, T. A., Gol'dshteyn, V. Ya.** and **Sokolov, B. K.** Features of texture formation during asymmetric cold rolling of Fe–3% Si alloys 5, 159
**Pinzhin, Yu. P.** *See* **Korotayev, A. D., Tyumentsev, A. N., Pinzhin, Yu. P., Markov, K. A., Minayev, N. G.** and **Safonov, A. A.** 6, 183
**Piratinskaya, I. I.** *See* **Vlasov, K. B., Zaynullina, R. I., Bebenin, N. G.** and **Piratinskaya, I. I.** 6, 163
**Pirogov, A. N., Dvinyaninov, V. N., Kelarev, V. V., Chuyev, V. V.** and **Sidorov, S. K.** Neutron diffraction study of intermetallic compounds $Tb_xY_{1-x}Co_5$ 4, 198
**Platov, Yu. M.** *See* **Toropova, L. S., Bykov, Yu. G., Lazorenko, V. M.** and **Platov, Yu. M.** 1, 189
**Pochivalov, Yu. I., Kolobov, Yu. R.** and **Korotayev, A. D.** On induced recrystallization of molybdenum based alloys 2, 79
**Pochivalov, Yu. I.** *See* **Kolobov, Yu. R., Pochivalov, Yu. I.** and **Korotayev, A. D.** 6, 180
**Pokachalov, V. V.** *See* **Baraz, V. R.** and **Pokachalov, V. V.** 3, 187
**Pol'kin, I. S.** *See* **Notkin, A. B., Korobov, O. S., Pertsovskiy, N. Z., Pol'kin, I. S., Semenova, N. M.** and **Smolyakova, L. A.** 4, 119
**Pol'kin, I. S.** *See* **Notkin, A. B., Pertsovskiy, N. Z., Pol'kin, I. S., Semenova, N. M.** and **Yefimova, M. V.** 2, 118
**Polotnyuk, V. V.** *See* **Kokorin, V. V., Osipenko, I. A., Polotnyuk, V. V., Zolkina, S. V.** and **Shirina, T. V.** 1, 42
**Pol'skiy, A. I.** *See* **Vershinin, V. V., Pol'skiy, A. I.** and **Yakovchuk, V. Yu.** 1, 58
**Polyakova, A. M.** *See* **Kaletina, Yu. V., Polyakova, A. M.** and **Sadovskiy, V. D.** 4, 141
**Ponomarev, V. V. Approximate calculation of the interaction between a cylindrical magnetic** bubble and the relief of a uniaxial film 5, 49
**Popov, A. A., Anisimova, L. I.** and **Beloglazov, V. A.** Investigation on second phase precipitation processes in titanium alloy VT30 3, 157
**Poptsov, M. Ye.** *See* **Karakishev, S. D., Litvinov, V. S.** and **Poptsov, M. Ye.** 4, 174
**Poshekhonov, A. P.** and **Shmakov, V. A.** On local melting of a crystal near dislocations 6, 1
**Pospelova, L. I.** *See* **Orzhitskaya, L. K., Levitin, V. V., Pospelova, L. I.** and **Kurnavina, L. P.** 1, 91
**Postnikov, A. V., Anisimov, V. I.** and **Gubanov, V. A.** Calculation of the magnetic state of impurity iron in aluminium and copper in the cluster approximation with *k*-dependent boundary conditions 2, 36
**Postnikov, A. V., Gubanov, V. A., Kurmayev, E. Z.** and **Anisimov, V. I.** Electronic structure of CsCl-type alloys: quasiband cluster calculations 3, 24
**Poyda, V. P.** *See* **Kuznetsova, R. I., Poyda, V. P., Letyago, L. M.** and **Bakharev, S. A.** 6, 130
**Prokopenko, A. K.** *See* **Khodosov, Ye. F., Yeremina, M. I.** and **Prokopenko, A. K.** 1, 130
**Prokop'ev, Yu. I., Grebennikov, V. I., Prokop'ev, Yu. I., Sokolov, O. B.** and **Turov, Ye. A.** 5, 55
**Prokoshin, A. F.** *See* **Dorofeyeva, Ye. A.** and **Prokoshin, A. F.** 5, 100
**Prozherin, A. Ye.** *See* **Ustinovshchikov, Yu. I.** and **Prozherin, A. Ye.** 6, 103
**Pugachevich, V. P., Chistyakov, Yu. D.** and **Timoshenkov, S. P.** Field-emission study of the formation and decomposition of silicide phases in the niobium–silicon system 3, 73
**Pukhov, I. K.** *See* **Dubinko, S. V., Mitsay, Yu. N., Pukhov, I. K.** and **Shakhova, N. V.** 1, 74
**Pushin, V. G.** *See* **Baraz, V. P., Koemets, A. R., Pushin, V. G., Rodionov, D. P.** and **Smirnov, L. V.** 5, 121

**Pushin, V. G.** *See* **Kondrat'ev, V. V., Romanova, R. R., Ustyugov, Yu. M.** and **Pushin, V. G.** 1, 28
**Pushin, V. G.** *See* **Kondrat'ev, V. V., Ustyugov, Yu. M., Romanova, R. R.** and **Pushin, V. G.** 1, 34
**Pushkareva, G. V.** *See* **Kiseleva, S. F., Pushkareva, G. V., Koneva, N. A.** and **Kozlov, E. V.** 4, 99
**Puzey, I. M.** *See* **Makarov, V. A., Puzey, I. M., Koropty, A. N.** and **Sakharova, T. V.** 6, 66
**Pyatiletov, Yu. S.** Concerning the relation between creep and swelling in irradiated metals 4, 146
**Pyatiletov, Yu. S.** Temperature dependence of rate of irradiation creep 6, 33

**Rassokhin, V. A.** *See* **Sudareva, S. V.,** and **Rassokhin, V. A.** 6, 89
**Razumovskiy, I. M.** *See* **Mishin, Yu. M.** and **Razumovskiy, I. M.** 5, 79
**Rimlyand, V. I.** *See* **Deryabin, A. V.** and **Rimlyand, V. I.** 3, 185
**Rinkevich, A. B.** *See* **Vlasov, K. B.** and **Rinkevich, A. B.** 4, 38
**Rizdvyanetskiy, D. R.** Decomposition in the surface layer of alloys in which ordering develops internally. II. 1, 7
**Rizdvyanetskiy, D. R.** Equilibrium concentration of vacancies in phases of decomposed alloys 6, 135
**Rodin, V. V.** *See* **Golovashkin, A. I., Martovitskiy, V. P., Pechen', Ye. V.** and **Rodin, V. V.** 1, 63
**Rodionov, A. A., Sidorov, M. N.** and **Rodionova, T. G.** Generalized statistical theory of magnetoelastic decay in ferromagnetics 5, 1
**Rodionov, D. P.** *See* **Baraz, V. P., Koemets, A. R., Pushin, V. G., Rodionov, D. P.** and **Smirnov, L. V.** 5, 121
**Rodionov, D. P.** *See* **Gaydukov, M. G., Rodionov, D. P., Smirnov, L. V.** and **Shcherbakova, N. M.** 1, 159
**Rodionova, T. G.** *See* **Rodionov, A. A., Sidorov, M. N.** and **Rodionova, T. G.** 5, 1
**Rokhlin, L. L.** Investigation of the decomposition of a supersaturated solid solution in magnesium–samarium alloys 2 96
**Romaka V. A. Grin' Yu. N. Yarmolyuk Ya. P. Zarechnyuk O. S.** and **Skolozdra, R. V.** Magnetic and crystallographic parameters of $R_2Ni_2Ga$ and $R_2Ni_2Al$ compounds 4 58
**Romaka V. A., Zarechnyuk, O. S., Rykhal', R. M., Yarmolyuk, Ya. P.** and **Skolozdra, R. V.** Magnetic susceptibility and crystal structure of $RNiAl_2$ compounds 8, 191
**Romanova, R. R.** *See* **Kondrat'ev, V. V., Romanova, R. R., Ustyugov, Yu. M.** and **Pushin, V. G.** 1, 28
**Romanova, R. R.** *See* **Kondrat'ev, V. V., Ustyugov, Yu. M., Romanova, R. R.** and **Pushin, V. G.** 1, 34
**Romashev, L. N.** *See* **Teplov, V. A., Malyshev, K. A.** and **Romashev, L. N.** 1, 98
**Roshchupkin, A. D.** *See* **Dobrovolskiy, V. Ye., Trunin, I. I.** and **Roshchupkin, A. D.** 1, 153
**Rozhanskiy, V. N.** *See* **Kirichenko, V. V.** and **Rozhanskiy, V. N.** 6, 173
**Rozhda, A. F.** *See* **Yarmolenko, A. S.** and **Rozhda, A. F** 4, 64
**Rudnev, S. I.** *See* **Bondarenko, A. I., Lebedev, S. Ya., Rudnev, S. I.** and **Surkov, S. Ya.** 2, 168
**Rukman, G. I.** *See* **Granovskiy, A. B., Rukman, G. I.** and **Stepanov, B. M.** 2, 186
**Rybin, V. V., Belozerskiy, G. N., Malyshevskiy, V. A., Sosenushkin, Ye. M.** and **Semicheva, T. G.** Influence of dislocations on the secondary hardening mechanism 5, 142

**Rybin, V. V.** *See* **Zhukovskiy, I. M., Rybin, V. V.** and **Zolotorevskiy, N. Yu.** 1, 13
**Rybin, V. V.** *See* **Zolotorevskiy, N. Yu., Zhukovskiy, I. M.** and **Rybin, V. V.** 6, 25
**Rykhal', R. M.** *See* **Romaka, V. A., Zarechnyuk, O. S., Rykhal', R. M., Yarmolyuk, Ya. P.** and **Skolozdra, R. V.** 2, 191

**Sadovskiy, V. D.** *See* **Kaletina, Yu. V., Polyakova, A. M.** and **Sadovskiy, V. D.** 4, 141
**Sadovskiy, V. D., Smirnov, L. V., Olesov, V. N.** and **Fokina, Ye. A.** Influence of thermal stabilization of austenite and a pulsating magnetic field on the martensitic transformation in alloy Kh5N20 4, 125
**Safonov, A. A.** *See* **Korotayev, A. D., Tyumentsev, A. N., Pinzhin, Yu. P., Markov, K. A., Minayev, N. G.** and **Safonov, A. A.** 6, 183
**Safronov, S. V.** *See* **Spasskiy, M. N., Safronov, S. V., Bernshteyn, M. L., Zaymovskiy, V. A., Samedov, S. V.** and **Kemel'man, M. N.** 3, 101
**Sagyndykov, A. S.** *See* **Gryzunov, V. I., Sagyndykov, A. S.** and **Sokolovskaya, Ye. M.** 6, 69
**Sakhanskaya, I. N.** *See* **Kuranov, A. A., Sakhanskaya, I. N.** and **Berseneva, F. N.** 6, 121
**Sakhanskaya, I. N.** *See* **Kuranov, A. A., Sakhanskaya, I. N., Teytel', Ye. I.** and **Litvinov, V. S.** 4, 96
**Sakharova, T. V.** *See* **Makarov, V. A., Puzey, I. M., Koropty, A. N.** and **Sakharova, T. V.** 6, 66
**Samedov, S. V.** *See* **Spasskiy, M. N., Safronov, S. V., Bernshteyn, M. L., Zaymovskiy, V. A., Samedov, S. V.** and **Kemel'man, M. N.** 3, 101
**Sarrak, V. I.** *See* **Filippov, G. A., Sarrak, V. I., Perkas, M. D.** and **Motrenko, V. F.** 1, 148
**Sarrak, V. I.** *See* **Konoplev, A. M.** and **Sarrak, V. I.** 3, 142
**Sarrak, V. I.** and **Suvorova, S. O.** The influence of relaxation processes on the martensitic transformation of iron–nickel alloys during loading in the elastic range 3, 154
**Sarrak, V. I.** *See* **Zabil'skiy, V. V.** and **Sarrak, V. I.** 5, 168
**Segal', V. M.** and **Starodubtsev, Yu. N.** Influence of rapid cooling on the magnetic properties of transformer steel 1, 192
**Sein, V. A., Andreyeva, A. V.** and **Milyayev, I. M.** Structural features of Fe–Cr–Co alloys containing 10% Co 6, 175
**Semenov, V. M.** *See* **Glebovskiy, V. G., Lomeyko, V. V., Moskvin, S. I., Semenov, V. N.** and **Vinnikov, L. Ya.** – 4, 137
**Semenova, N. M.** *See* **Notkin, A. B., Korobov, O. S., Pertsovskiy, N. Z., Pol'kin, I. S., Semenova, N. M.** and **Smolyakova, L. A.** 4, 119
**Semenova, N. M.** *See* **Notkin, A. B., Pertsovskiy, N. Z., Pol'kin, I. S., Semenova, N. M.** and **Yefimova, M. V.** 2, 118
**Semicheva, T. G.** *See* **Rybin, V. V., Belozerskiy, G. N., Malyshevskiy, V. A., Sosenushkin, Ye. M.** and **Semicheva, T. G.** 5, 142
**Shabanova, I. N.** *See* **Nemnonov, S. A., Kolobova, K. M., Trofimova, V. A.** and **Shabanova, I. N.** 2, 194
**Shakhova, N. V.** *See* **Dubinko, S. V., Mitsay, Yu. N., Pukhov, I. K.** and **Shakhova, N. V.** 1, 74
**Shalimova, A. V.** *See* **Levit, V. I., Smirnov, S. V., Bogatov, A. A., Kolmogorov, V. L., Davydova, L. S., Patrakov, Ye. I.** and **Shalimova, A. V.** 4, 149
**Shamray, V. F., Wolf, G., Bomhammel, K.** and **Padurets, L. N.** Magnetic susceptibility and superconductive transition point of phase $Nb_3SnH_x$ of variable composition 3, 36
**Shcherbak, V. I.** *See* **Bykov, Y. N., Vorob'ev, A. N., Dmitriyev, V. D.** and **Shcherbak, V. I.** 6, 142

**Shcherbakova, N. M.** *See* **Gaydukov, M. G., Rodionov, D. P., Smirnov, L. V.** and **Shcherbakova, N. M.** 1, 159
**Shcherbakova, Ye. V.** and **Yermolenko, A. S.** Magnetic properties of single crystals of compounds $RCo_3$ (R = Ho, Tm) 6, 53
**Shcherbedinskiy, G. V., Kovalev, A. I.** and **Mishina, V. P.** Electron spectroscopy investigation of the effect of stresses on grain boundary segregation of phosphorus during tempering 2, 105
**Shekhter, Ya. A.** *See* **Yushkov, V. I., Shimov, V. V., Adamesku, R. A., Znamenskiy, V. I.** and **Shekhter, Ya. A.** 1, 185
**Shilkova, N. A.** *See* **Shirokovskiy, V. P.** and **Shilkova, N. A.** 2, 6
**Shimov, V. V.** *See* **Yushkov, V. I., Shimov, V. V., Adanesku, R. A., Znamenskiy, V. I.** and **Shekhter, Ya. A.** 1, 185
**Shipkova, I. G.** *See* **Palatnik, L. S., Shipkova, I. G., Cheremskoy, P. G., Lukashenko, L. I., Tolstolutskaya, G. D., Murovtsev, D. G.** and **Panikarskiy, A. S.** 4, 81
**Shirina, T. V.** *See* **Kokorin, V. V., Osipenko, I. A., Polotyuk, V. V., Zolkina, S. V.** and **Shirina, T. V.** 1, 42
**Shirokov, V. B.** A contribution to the construction of an integral rational invariant basis 5, 40
**Shirokovskiy, V. P.** and **Shilkova, N. A.** Green's function method of calculating normalized wave functions applied to vanadium 2, 6
**Shishmintsev, V. F.** *See* **Dekun, A. M., Kushakevich, S. A., Adamesku, R. A., Khmelinin, Yu. F., Beresnev, B. I.** and **Shishmintsev, V. F.** 2, 146
**Shmakov, V. A.** *See* **Poshekhonov, A. P.** and **Shmakov, V. A.** 6, 1
**Shmatov, V. T.** *See* **Dobromyslov, A. V., Dolgikh, G. V., Taluts, N. I., Shmatov, V. T.** and **Bersenev, B. I.** 2, 112
**Shtremel', M. A., Knyazev, A. A.** and **Libinson, A. G.** Growth kinetics of hair-like cracks 4, 165
**Shvindlerman, L. S.** *See* **Aleksandrovich, V. L., Fradkov, V. Ye.** and **Shvindlerman, L. S.** 5, 138
**Sidorov, M. N.** *See* **Rodionov, A. A., Sidorov, M. N.** and **Rodionova, T. G.** 5, 1
**Sidorov, S. K.** *See* **Pirogov, A. N., Dvinyaninov, V. N., Kelarev, V. V., Chuyev, V. V.** and **Sidorov, S. K.** 4, 198
**Sinitsyn, Ye. V., Kodolov, V. V., Yermakov, A. Ye.** and **Barinov, V. A.** Magnetization of amorphous alloys based on compounds of 4*f*–3*d* metals 4, 88
**Skakov, M. K.** *See* **Ibragimov, Sh. Sh., Melikhov, V. D.** and **Skakov, M. K.** 5, 163
**Skolozdra, R. V.** *See* **Romaka, V. A., Grin', Yu. N., Yarmolyuk, Ya. P., Zarechnyuk, O. S.** and **Skolozdra, R. V.** 4, 58
**Skolozdra, R. V.** *See* **Romaka, V. A., Zarechnyuk, O. S., Rykhal', R. M., Yarmolyuk, Ya. P.** and **Skolozdra, R. V.** 2, 191
**Slepchenko, B. M.** Correlation of charge density fluctuations in the Hubbard model in the strong interaction range 5, 185
**Slezov, V. V., Mchedlov-Petrosyan, P. O.** and **Tanatarov, L. V.** Formation of a multicomponent chemical compound during irreversible reaction at matrix defects 3, 10
**Smirnov, L. I.** Diffusion of interstitial atoms in ternary b.c.c. ordering substitutional alloys with any degree of interstitial site occupation 4, 1
**Smirnov, L. V.** *See* **Bakhteyeva, N. D., Vinogradova, N. I., Levit, V. I., Smirnov, L. V.** and **Filippov, Yu. I.** 1, 135
**Smirnov, L. V.** *See* **Baraz, V. P., Koemets, A. P., Pushin, V. G., Rodionov, D. P.** and **Smirnov, L. V.** 5, 121

**Smirnov, L. V.** *See* **Gaydukov, M. G., Rodionov, D. P., Smirnov, L. V.** and **Shcherbakova, B. M.** 1, 159
**Smirnov, L. V.** *See* **Sadovskiy, V. D., Smirnov, L. V., Olesov, V. N.** and **Fokina, Ye. A.** 4, 125
**Smirnov, L. V., Smirnov, M. A., Kut'in, A. B.** and **Filatov, V. I.** Influence of high-temperature thermomechanical treatment on the properties of high-purity steel 5, 188
**Smirnov, M. A.** *See* **Smirnov, L. V., Smirnov, M. A., Kut'in, A. B.** and **Filatov, V. I.** 5, 188
**Smirnov, S. V.** *See* **Levit, V. I., Smirnov, S. V., Bogatov, A. A., Kolmogorov, V. L., Davydova, L. S., Patrakov, Ye. I.** and **Shalimova, A. V.** 4, 149
**Smirnova, L. L.** *See* **Yelkina, O. A., D'yakova, M. A., Lerinman, R. M., Sudareva, S. V.** and **Smirnova, L. L.** 5, 152
**Smolyakova, L. A.** *See* **Notkin, A. B., Korobov, O. S., Pertsovskiy, N. Z., Pol'kin, I. S., Semenova, N. M.** and **Smolyakova, L. A.** 4, 119
**Soboleva, T. K.** and **Stefanovskiy, Ye. P.** Equilibrium states and magnetic order–order phase transitions in orthorhombic crystals with non-uniform exchange-relativistic interaction 1, 171
**Soboleva, Ye. N.** *See* **Aleksandrov, S. I., Soboleva, Ye. N.** and **Yaroshevich, V. D.** 2, 142
**Sokolov, B. K.** *See* **Balandin, B. N.** and **Sokolov, B. K.** 2, 74
**Sokolov, B. K.** *See* **Petrova, T. A., Gol'dshteyn, V. Ya.** and **Sokolov, B. K.** 5, 159
**Sokolov, O. B.** *See* **Grebennikov, V. I., Prokop'ev, Yu. I., Sokolov, O. B.** and **Turov, Ye. A.** 5, 55
**Sokolovskaya, Ye. M.** *See* **Gryzunov, V. I., Sagyndykov, A. S.** and **Sokolovskaya, Ye. M.** 6, 69
**Soldatov, V. P.** *See* **Kirichenko, G. I.** and **Soldatov, V. P.** 3, 130
**Sologubova, T. I.** *See* **Khodorenko, V. N., Nikitina, N. V., Sologubova, T. I.** and **Brovkov, V. A.** 3, 136
**Solopov, V. I.** *See* **Daneliya, Ye. P., Teplitskiy, M. D.** and **Solopov, V. I.** 1, 144
**Solov'ev, V. N.** Diffusion in amorphous metallic films 5, 36
**Sorokin, N. L.** *See* **Yermakov, G. V.** and **Sorokin, N. L.** 2, 47
**Sosenushkin, Ye. M.** *See* **Rybin, V. V., Belozerskiy, G. N., Malyshevskiy, V. A., Sosenushkin, Ye. M.** and **Semicheva, T. G.** 5, 142
**Spasskiy, M. N.** *See* **Eterashvili, T. V.** and **Spasskiy, M. N.** 6, 114
**Spasskiy, M. N., Safronov, S. V., Bernshteyn, M. I., Zaymovskiy, V. A., Samedov, S. V.** and **Kemel'man, M. N.** Influence of HTMT and inherited heat hardening on the structure and properties of engineering steel 3, 101
**Spektor, Ya. I.** *See* **Lyashenko, V. P., Spektor, Ya. I.** and **Borisov, V. T.** 3, 118
**Starodubtsev, Yu. N.** *See* **Segal', V. M.** and **Starodubtsev, Yu. N.** 1, 192
**Stefanovskiy, Ye. P.** *See* **Soboleva, T. K.** and **Stefanovskiy, Ye. P.** 1, 171
**Stepanov, A. P.** *See* **Belyayev, M. Yu.** and **Stepanov, A. P.** 1, 80
**Stepanov, B. M.** *See* **Granovskiy, A. B., Rukman, G. I.** and **Stepanov, B. M.** 2, 186
**Stepanov, G. A.** *See* **Botvina, L. R., Klevtsov, G. V., Kozlov, P. M.** and **Stepanov, G. A.** 3, 80
**Strok, L. P.** *See* **Georgiyev, M. N.** and **Strok, L. P.** 6, 110
**Sudareva, S. V.** and **Rassokhin, V. A.** Electron microscopic investigation of the structure of V–Al alloys 6, 89
**Sudareva, S. V.** *See* **Yelkina, O. A., D'yakova, M. A., Lerinman, R. M., Sudareva, S. V.** and **Smirnova, L. L.** 5, 152
**Sudovtsov, A. I.** *See* **Kuz'menko, V. M., Mel'nikov, V. I.** and **Sudovtsov, A. I.** 2, 165
**Sukhomlin, G. D.** Interaction of annealing twin boundaries in f.c.c. polycrystals 1, 178

**Sukhomlin, G. D.** Multiple special junctions of grain boundaries in f.c.c. polycrystals **2,** 182
**Surkov, S. Ya.** *See* **Bondarenko, A. I., Lebedev, S. Ya., Rudnev, S. I.** and **Surkov, S. Ya.** **2,** 168
**Surkov, S. Ya.** *See* **Lebedev, S. Ya., Bagdinov, V. G.** and **Surkov, S. Ya.** **3,** 164
**Suvorova, S. O.** *See* **Sarrak, V. I.** and **Suvorova, S. O.** **3,** 154
**Suyazov, A. V.** and **Usikov, M. P.** Structure transformations of high-carbon aluminium steels during tempering **1,** 109
**Svechnikov, V. L.** *See* **Gridnev, V. N., Ivasishin, O. M.** and **Svechnikov, V. L.** **2,** 85
**Svirskiy, M. S.** Towards a theory of melting of metals **5,** 26
**Svistunov, D. Ye.** *See* **Khromov, Yu. P., Zhmurov, S. A.** and **Svistunov, D. Ye.** **6,** 177

**Takzey, G. A.** *See* **Men'shikov, A. Z., Takzey, G. A.** and **Teplykh, A. Ye.** **3,** 41
**Talalayeva, Ye. V., Chernikova, L. A., Nikitin, S. A., Ivanova, T. I.** and **Andreyenko, A. S.** Peculiarities of the magnetocaloric effect in single crystal $Tb_{0.78}Gd_{0.22}$ **3,** 69
**Taluts, G. G.** *See* **Men'shenin, V. V., Mirsayev, I. F.** and **Taluts, G. G.** **3,** 28
**Taluts, N. I.** *See* **Dobromyslov, A. V., Dolgikh, G. V., Taluts, N. I., Shmatov, V. T.** and **Beresnev, B. I.** **2,** 112
**Tanatarov, L. V.** *See* **Slezov, V. V., Mchedlov-Petrosyan, P. O.** and **Tanatarov, L. V.** **3,** 10
**Teplitskiy, M. D.** *See* **Daneliya, Ye. P., Teplitskiy, M. D.** and **Solopov, V. I.** **1,** 144
**Teplov, V. A., Malyshev, K. A.** and **Romashev, L. N.** Strengthening of metastable nickel–molybdenum austenitic steels by cycles of $\gamma$–$\alpha$–$\gamma$ transformations during slow heating **1,** 98
**Teplov, V. A.** and **Yeshchenko, R. N.** Strengthening and phase transformations of nickel–molybdenum steels during heating **2,** 89
**Teplykh, A. Ye.** *See* **Men'shikov, A. Z., Takzey, G. A.** and **Teplykh, A. Ye.** **3,** 41
**Terent'ev, S. V.** *See* **Moskalev, V. N., Deryagin, A. V., Kudrovatykh, N. V.** and **Terent'ev, S. V.** **1,** 54
**Teytel', Ye. I.** *See* **Kuranov, A. A., Sakhanskaya, I. N., Teytel', Ye. I.** and **Litvinov, V. S.** **4,** 96
**Teytel', Ye. I.** *See* **Trenogina, T. L., Zvereva, Z. F., Kataya, G. K., Meshchaninova, L. S., Lerinman, R. M., Vozilkin, V. A.** and **Teytel', Ye. I.** **4,** 130
**Tikhinskiy, G. F.** *See* **Vertkov, A. V., Ivantsov, I. G., Karpov, Ye. A., Papirov, I. I.** and **Tikhinskiy, G. F.** **4,** 176
**Timoshenkov, S. P.** *See* **Pugachevich, V. P., Chistyakov, Yu. D.** and **Timoshenkov, S. P.** **3,** 73
**Tofpenets, R. L.** and **Vasil'eva, L. A.** Experimental determination of stacking fault energy in alloy Al–4% Cu **2,** 156
**Tolstolutskaya, G. D.** *See* **Palatnik, L. S., Shipkova, I. G., Cheremskoy, P. G., Lukashenko, L. I., Tolstolutskaya, G. D., Murovtsev, L. G.** and **Panikarskiy, A. S.** **4,** 81
**Tomilin, I. A.** *See* **Andreyev, L. A., Kalashnikova, Ye. A.** and **Tomilin, I. A.** **3,** 169
**Toropova, L. S., Bykov, Yu. G., Lazorenko, V. M.** and **Platov, Yu. M.** Determination of elastic strain of the matrix due to particles of phase $ScAl_3$ in an Al–Mg–Sc alloy **1,** 189
**Trefilov, V. I.** *See* **Drachinskiy, A. S., Kraynikov, A. V.** and **Trefilov, V. I.** **6,** 84
**Trenogina, T. L., Zvereva, Z. F., Kataya, G. K., Meshchaninova, L. S., Lerinman, R. M., Vozilkin, V. A.** and **Teytel', Ye. I.** Influence of heat treatment programmes on the fine structure and mechanical properties of titanium alloy VT3-1 **4,** 130
**Trofimova, V. A.** *See* **Nemnonov, S. A., Kolobova, K. M., Trofimova, V. A.** and **Shabanova, L. N.** **2,** 194
**Trunin, I. I.** *See* **Dobrovolskiy, V. Ye., Trunin, I. I.** and **Roshchupkin, A. D.** **1,** 153
**Tsifrinovich, V. I.** and **Novoselov, O. V.** The nuclear echo phase in the range of coincident

nuclear magnetic and ferromagnetic resonances 3, 182
**Tsiovkin, Yu. N.** *See* **Kourov, N. I., Tsiovkin, Yu. N.** and **Volkenshteyn, N. V.** 4, 47
**Tsoy, N. P.** *See* **Borovskiy, I. B., Komarov, Ye. Ya., Petrenko, N. M.** and **Tsoy, N. P.** 4, 171
**Tsurin, V. A., Filippova, N. P.** and **Yermakov, A. Ye.** Nuclear gamma resonance investigation of ordering in an equiatomic cobalt–platinum alloy 4, 108
**Turov, Ye. A.** *See* **Grebennikov, V. I., Prokop'ev, Yu. I., Sokolov, O. B.** and **Turov, Ye. A.** 5, 55
**Tyapkin, Yu. D.** *See* **Dzhavadov, D. M.** and **Tyapkin, Yu. D.** 5, 84
**Tyapunina, N. A.** *See* **Atta, T., Blagoveshchenskiy, V. V., Zinenkova, G. M.** and **Tyapunina, N. A.** 2, 125
**Tyumentsev, A. N.** *See* **Korotayev, A. D., Tyumentsev, A. N., Pinzhin, Yu. P., Markov, K. A., Minayev, N. G.** and **Safonov, A. A.** 6 183

**Udovenko, V. A.** *See* **Lotkov, A. I., Grishkov, V. N., Udovenko, V. A.** and **Kuznetsov, A. V.** 6, 152
**Ukraintseva, S. B.** and **Khazanov, S. A.** Texture formation in iron–cobalt alloys with a $\gamma \rightleftarrows \alpha$ transformation 6, 127
**Usikov, M. P.** *See* **Kazakovtseva, V. A.** and **Usikov, M. P.** 3, 105
**Usikov, M. P.** *See* **Suyazov, A. V.** and **Usikov, M. P.** 1, 109
**Ustinov, V. V.** *See* **Kogan, Ye. M.** and **Ustinov, V. V.** 2, 43
**Ustinovshchikov, Yu. I.** and **Prozherin, A. Ye.** The role of carbide-forming elements in embrittlement and elimination of embrittlement during secondary hardening of alloyed steels 6, 103
**Ustyugov, Yu. M.** *See* **Kondrat'ev, V. V., Romanova, R. R., Ustyugov, Yu. M.** and **Pushin, V. G.** 1, 28
**Ustyugov, Yu. M.** *See* **Kondrat'ev, V. V., Ustyugov, Yu. M., Romanova, R. R.** and **Pushin, V. G.** 1, 34

**Valiyev, E. Z.** On the properties of a ferromagnet with strong magnetostriction 3, 1
**Valiyev, R. Z., Yemaletdinov, A. K.** and **Kaybyshev, O. A.** Critical grain size on transition to superplastic flow 3, 175
**Varyukhin, V. N., Golubenko, T. I.** and **Datsko, O. I.** Internal friction during second order spin-reorientation transitions in hexagonal ferromagnets 3, 18
**Vasil'eva, L. A.** *See* **Tofpenets, R. L.** and **Vasil'eva, L. A** 2, 156
**Vershinin, V. V., Pol'skiy, A. I.** and **Yakovchuk, V. Yu.** Domain structure and remagnetization of narrow strips of Permalloy film 1, 58
**Vershinina, L. I.** *See* **Artem'ev, Ye. M., Komalov, A. S.** and **Vershinina, L. I.** 5, 179
**Vertkov, A. V., Ivantsov, I. G., Karpov, Ye. A., Papirov, I. I.** and **Tikhinskiy, G. P.** Microplastic deformation of beryllium 4, 176
**Vinnikov, L. Ya.** *See* **Glebovskiy, V. G., Lomeyko, V. V., Moskvin, S. I., Semenov, V. N.** and **Vinnikov, L. Ya.** 4, 137
**Vinnikov, L. Ya., Glebovskiy, V. G., Yermolova, I. V.** and **Moskvin, S. I.** Vortex pinning in poly- and monocrystalline superconductors of niobium 2, 52
**Vinogradova, N. I.** *See* **Bakhteyeva, N. D., Vinogradova, N. I., Levit, V. I., Smirnov, L. V.** and **Filippov, Yu. I.** 1, 135
**Vitebskiy, I. M.** Symmetry of magnetic anisotropy of crystals with predominant exchange interaction 1, 1

**Vlasov, K. B.** and **Rinkevich, A. B.** Doppler-Shifted acoustic cyclotron resonance in tungsten and molybdenum **1,** 38
**Vlasov, K. B., Zaynullina, R. I., Bebenin, N. G.** and **Piratinskaya, I. I.** Magnetic phase transitions in $FeGe_2$ **6,** 163
**Vlasova, Ye. N., Molotilov, B. V.** and **Zaytseva, G. A.** Structure and magnetic properties of amorphous alloys of the Co–Fe–Si–B system **6,** 46
**Volkenshteyn, N. V.** *See* **Kourov, N. I., Tsiovkin, Yu. N.** and **Volkenshteyn, N. V.** **4,** 47
**Volynskaya, V. G.** *See* **Gol'tsov, V. A., Kirillov, V. A., Karnaukh, O. I., Volynskaya, V. G.** and **Gorban', S. V.** **2,** 149
**Volyntsev, A. B.** A dislocation model of the reverse mechanical aftereffect **6,** 147
**Vorob'ev, A. N.** *See* **Bykov, V. N., Vorob'ev, A. N., Dmitriyev, V. D.** and **Shcherbak, V. I.** **6,** 142
**Vorontsova, N. N.** *See* **Badalyan, V. G., Vorontsova, N. N., Kazantsev, V. F.** and **Nazarov, A. V.** **6,** 138
**Vozilkin, V. A.** *See* **Trenogina, T. L., Zvereva, Z. F., Kataya, G. K., Meshchaninova, L. S., Lerinman, R. M., Vozilkin, V. A.** and **Teytel', Ye. I.** **4,** 130

**Wolf, G.** *See* **Shamray, V. F., Wolf, G., Bomhammel, K.** and **Padurets, L. N.** **3,** 36

**Yakhshaatova, E. M.** *See* **Bushuyeva, G. V.** and **Yakhshaatova, E. M.** **2,** 138
**Yakovchuk, V. Yu.** *See* **Vershinin, V. V., Pol'skiy, A. I.** and **Yakovchuk, V. Yu.** **1,** 58
**Yarmolyuk, Ya. P.** *See* **Romaka, V. A., Grin', Yu. N., Yarmolyuk, Ya. P., Zarechnyuk, O. S.** and **Skolozdra, R. V.** **4,** 58
**Yarmolyuk, Ya. P.** *See* **Romaka, V. A., Zarechnyuk, O. S., Rykhal', R. M., Yarmolyuk, Ya. P.** and **Skolozdra, R. V.** **2,** 191
**Yaroshevich, V. D.** *See* **Aleksandrov, S. I., Soboleva, Ye. N.** and **Yaroshevich, V. D.** **2,** 142
**Yaroslavskiy, G. Ya., Kondrat'ev, S. Yu., Koval', Yu. N., Musiyenko, R. Ya.** and **Chaykovskiy, B. S.** The influence of heat treatment on the martensitic transformation and properties of copper–aluminium–zinc alloys **3,** 166
**Yefimova, M. V.** *See* **Notkin, A. B., Pertsovskiy, N. Z., Pol'kin, I. S., Semenova, N. M.** and **Yefimova, M. V.** **2,** 118
**Yelkina, O. A., D'yakova, M. A., Lerinman, R. M., Sudareva, S. V.** and **Smirnova, L. L.** Decomposition of undercooled $\beta$ phase in titanium alloy VT23 **5,** 152
**Yemaletdinov, A. K.** *See* **Valiyev, R. Z., Yemaletdinov, A. K.** and **Kaybyshev, O. A.** **3,** 175
**Yeremina, M. I.** *See* **Khodosov, Ye. F., Yeremina, M. I.** and **Prokopenko, A. K.** **1,** 130
**Yermakov, A. Ye., Barinov, V. A.** and **Yurchikov, Ye. Ye.** Variation of the magnetic properties of powders of Gd–Cu alloys after refinement resulting in amorphism **5,** 90
**Yermakov, A. Ye.** *See* **Sinitsyn, Ye. V., Kodolov, V. V., Yermakov, A. Ye.** and **Barinov, V. A.** **4,** 88
**Yermakov, A. Ye.** *See* **Tsurin, V. A., Filippova, N. P.** and **Yermakov, A. Ye.** **4,** 108
**Yermakov, G. V.** and **Sorokin, N. L.** Mean lifetimes of metastable phases in type-I superconductors **2,** 47
**Yermolenko, A. S.** and **Rozhda, A. F.** Magnetic properties of single crystals of $Ho_xY_{1-x}Co_{5+0.5x}$ alloys **4,** 64
**Yermolenko, A. S.** *See* **Shcherbakova, Ye. V.** and **Yermolenko, A. S.** **6,** 53
**Yermolova, I. V.** *See* **Vinnikov, L. Ya., Glebovskiy, V. G., Yermolova, I. V.** and **Moskvin, S. I.** **2,** 52

**Yershov, V. M.** High-temperature X-ray investigation of the austenizing of iron–carbon alloys 6, 97
**Yeshchenko, R. N.** *See* **Teplov, V. A.** and **Yeshchenko, R. N.** 2, 89
**Yevseyev, A. V.** Grain growth in a polycrystal with boundaries of differing mobility 2, 179
**Yurchikov, Ye. Ye.** *See* **Yermakov, A. Ye., Barinov, V. A.** and **Yurchikov, Ye. Ye.** 5, 90
**Yushkov, V. I., Shimov, V. V., Adamesku, R. A., Znamenskiy, V. I.** and **Shekhter, Ya. A.** Investigation of deformation and hardening of tantalum during uniaxial tension 1, 185

**Zabil'skiy, V. V.** and **Sarrak, V. I.** On the nature of the resistance of martensite to small plastic deformations during tempering under load 5, 168
**Zabil'skiy, V. V.** *See* **Zel'dovich, V. I., Zabil'skiy, V. V.** and **Frolova, N. Yu.** 6, 74
**Zaginaychenko, S. Yu., Kurbatova, O. L.** and **Matysina, Z. A.** An interstitial impurity in alloys with structure $B8_1$ and B31 4, 7
**Zarechnyuk, O. S.** *See* **Romaka, V. A., Grin', Yu. N., Yarmolyuk, Ya. P., Zarechnyuk, O. S.** and **Skolozdra, R. V.** 4, 58
**Zarechnyuk, O. S.** *See* **Romaka, V. A., Zarechnyuk, O. S., Rykhal', R. M., Yarmolyuk, Ya. P.** and **Skolozdra, R. V.** 2, 191
**Zaymovskiy, V. A.** *See* **Spasskiy, M. N., Safronov, S. V., Bernshteyn, M. L., Zaymovskiy, V. A., Samedov, S. V.** and **Kemel'man, M. N.** 3, 101
**Zaynullina, R. I.** *See* **Vlasov, K. B., Zaynullina, R. I., Bebenin, N. G.** and **Piratinskaya, I. I.** 6, 163
**Zaytseva, G. A.** *See* **Vlasova, Ye. N., Molotilov, B. V.** and **Zaytseva, G. A.** 6, 46
**Zel'dovich, V. I., Zabil'skiy, V. V.** and **Frolova, N. Yu.** Dilatation effects during tempering of alloy 10N28 subjected to HTMT 6, 74
**Zelenkov, I. A.** and **Pastushenko, S. N.** Nuclear gamma resonance on impurity atoms $^{57}Fe$ in $Ti_3Al$ compounds 6, 150
**Zemlyanskov, V. S.** *See* **Burkhanov, G. S., Gubchevskiy, V. P., Zlatoustovskiy, D. M., Zemlyanskov, V. A.** and **Ottenberg, Ye. V.** 3, 91
**Zhernov, A. P., Babushkina, R. A.** and **Inyushkin, A. V.** Pseudopotential and phonon resistivity of lithium with b.c.c. and f.c.c. structures 6, 144
**Zhmurov, S. A.** *See* **Khromov, Yu. F., Zhmurov, S. A.** and **Svistunov, O. Ye.** 6, 177
**Zhukov, V. P.** *See* **Fedorov, G. B., Nikolayev, V. A., Zhukov, V. P., Arkovenko, V. P.** and **Braun, A. G.** 2, 177
**Zhukovskiy, I. M., Rybin, V. V.** and **Zolotorevskiy, N. Yu.** Theory of plastic rotations in crystals during deformation 1, 13
**Zhukovskiy, I. M.** *See* **Zolotorevskiy, N. Yu., Zhukovskiy, I. M.,** and **Rybin, V. V.** 6, 25
**Zil'berman, L. A.** The amplitude-dependent absorption of ultrasound and the interaction of a dislocation with point defects 2, 16
**Zimbovskaya, N. A., Okulov, V. I.** and **Pamyatnykh, Ye. A.** Low-temperature quantum oscillations of elastic moduli and velocity of sound in metals 2, 12
**Zinenkova, G. M.** *See* **Atta, T., Blagoveshchenskiy, V. V., Zinenkova, G. M.** and **Tyapunina, N. A.** 2, 125
**Zlatoustovskiy, D. M.** *See* **Burkhanov, G. S., Gubchevskiy, V. P., Zlatoustovskiy, D. M, Zemlyanskov, V. A.** and **Ottenberg, Ye. V.** 3, 91
**Zlenko, V. Ya., Fedorov, N. V.** and **Fedukina, G. N.** Concerning the development of voids in iron during diffusion saturation by nickel from a gas phase 1, 103

**Znamenskiy, V. I.** *See* **Yushkov, V. I., Shimov, V. V., Adamesku, R. A., Znamenskiy, V. I.** and **Shekhter, Ya. A.** **1,** 185
**Zolkina, S. V.** *See* **Kokorin, V. V., Osipenko, I. A., Polotnyuk, V. V., Zolkina, S. V.** and **Shirina, T. V.** **1,** 42
**Zolotorevskiy, N. Yu., Zhukovskiy, I. M.** and **Rybin, V. V.** Nature of formation and geometric characteristics of a weakly-misoriented cellular structure **6,** 25
**Zolotorevskiy, N. Yu.** *See* **Zhukovskiy, I. M., Rybin, V. V.** and **Zolotorevskiy, N. Yu.** **1,** 13
**Zotov, V. S.** *See* **Dubovtsev, R. M., Zotov, V. S.** and **Miroshnichenko, T. I.** **6,** 78
**Zvereva, V. I.** *See* **Ivanov, O. A., Zvereva, V. I., Kostromitin, A. L.** and **Lepalovskiy, V. N.** **2,** 68
**Zvereva, Z. F.** *See* **Trenogina, T. L., Zvereva, Z. F., Kataya, G. K., Meshchaninova, L. S. Lerinman, R. M., Vozilkin, V. A.** and **Teytel', Ye. I.** **4,** 130
**Zvezdin, M. K.** and **Okulov, V. I.** Shape of nuclear magnetic resonance line in a metallic plate excited by weakly decaying waves **5,** 9